






Carlisle Brass Traditional Face Fix Levers on Rose



Product Code: PLW

LEVERS ON ROSE












DL56





VICTORIAN SCROLL
Lever on Round Rose
Face Fix

Dimensions (mm):

Rose:	58 Dia.
Rose Thickness:	10
Projection:	55
Lever Length:	95

 **CP**
 **PB**
 **SC**












DL66





WING
Lever on Round Rose
Face Fix

Dimensions (mm):

Rose:	58 Dia.
Rose Thickness:	10
Projection:	55
Lever Length:	116

 **CP**
 **PB**
 **SC**










M32


VICTORIAN
Lever on Round Rose
Face Fix





Dimensions (mm):

Rose:	58 Dia.
Rose Thickness:	10
Projection:	52
Lever Length:	105

 **CP**
 **PB**
 **SC**

LEVERS ON ROSE











PLW

PORCELAIN
Lever on Round Rose
Face Fix

Dimensions (mm):
Rose: 58 Dia.
Rose Thickness: 10
Projection: 65
Lever Length: 130

 **PLW**











PLWCP

PORCELAIN
Lever on Round Rose
Face Fix

Dimensions (mm):
Rose: 58 Dia.
Rose Thickness: 10
Projection: 65
Lever Length: 130

 **PLWCP**






FG3

GEORGIAN
Lever on Round Rose
Face Fix

Dimensions (mm):
Rose: 64 Dia.
Rose Thickness: 11
Projection: 63
Lever Length: 102

 **PB**

ESCUTCHEONS/ THUMBTURN AND RELEASE





AA145/345

ESCUTCHEON
Face Fix

Dimensions (mm):
Rose: 45 Dia.

AA145 Euro
AA345 Lock


DB


PB

SN

CP

SC





B12

THUMBTURN AND RELEASE
Face Fix

Dimensions (mm):
Rose: 45 Dia.

DB

PB

SN

CP

SC



Are you following us ?









www.carlislebrass.com