

ALUMINIUM

						
---	---	---	---	---	---	--



LRS9000

**SAFETY LEVER
ON SPRUNG ROSE**
Concealed Fix
Press-on-Rose

Dimensions (mm):

Rose:	52 Dia.
Rose Thickness:	8
Projection:	69
Lever Length:	145
Bar:	22 Dia.

Variations:

LRS9001 Bar 19 Dia.
Lever Length 140

LRS9001U Bar 19 Dia.
Lever Length 140
Unsprung

 **SAA**

					
---	---	---	---	---	--



LRS9002

**STRAIGHT LEVER
ON SPRUNG ROSE**
Concealed Fix
Press-on-Rose

Dimensions (mm):

Rose:	52 Dia.
Rose Thickness:	8
Projection:	69
Lever Length:	139
Bar:	19 Dia.

 **SAA**

For matching escutcheons ESE/ESP/ESU9005 see P230. For matching bathroom turns EST9005 and EST9025 see P230. Blank escutcheon ESB9005 also available.

ALUMINIUM



LRS9003

CURVED LEVER ON SPRUNG ROSE

Concealed Fix
Press-on-Rose

Dimensions (mm):

Rose:	52 Dia.
Rose Thickness:	8
Projection:	66
Lever Length:	139
Bar:	19 Dia.



SAA



LRS9005

MITRED LEVER ON SPRUNG ROSE

Concealed Fix
Press-on-Rose

Dimensions (mm):

Rose:	52 Dia.
Rose Thickness:	8
Projection:	69
Lever Length:	132
Bar:	19 Dia.



SAA


PAD/PFD
D PULL HANDLE
Variations:

PAD9150	150c/c - Bar 19 Dia.
PAD9225	225c/c - Bar 19 Dia.
PAD9300	300c/c - Bar 19 Dia.
PFD9150	150c/c - Bar 22 Dia.
PFD9225	225c/c - Bar 22 Dia.
PFD9300	300c/c - Bar 22 Dia.
PFD9450	450c/c - Bar 22 Dia.
PFD9600	600c/c - Bar 22 Dia.


FIX9005
ROSE KIT
Dimensions (mm):

Rose:	52
Rose Thickness:	8



ALUMINIUM





ESE/ESP/ESU9005

ESCUTCHEON
Concealed Fix Press-on-Rose

Dimensions (mm):
Rose: 52 Dia.
Rose Thickness: 8

ESE9005 Euro
ESP9005 Lock
ESU9005 Oval

 **SAA**





EST9005

THUMBTURN AND RELEASE
Concealed Fix
2 Part Screw-on-Rose
c/w indicator

Dimensions (mm):
Rose: 52 Dia.
Rose Thickness: 8

 **SAA**





EST9025

THUMBTURN AND RELEASE
Concealed Fix
2 Part Screw-on-Rose
c/w indicator

Dimensions (mm):
Rose: 52 Dia.
Rose Thickness: 8

 **SAA**


EST9625
HANDLE SET
Dimensions (mm):

Overall: 178x38


BCP9000
BLANK CYLINDER PULL
Dimensions (mm):

Overall: 78x44



ALUMINIUM

	   	ECP9000
EURO CYLINDER PULL Dimensions (mm): Overall: 78x44  SAA		

	   	OCP9000
OVAL CYLINDER PULL Dimensions (mm): Overall: 78x44  SAA		

	   	PCP9000
LOCK CYLINDER PULL Dimensions (mm): Overall: 78x44  SAA		

ALUMINIUM

	   	RCP9000
	RIM CYLINDER PULL Dimensions (mm): Overall: 78x44  SAA	

	  	DSW9015
	WALL MOUNTED DOOR STOP Dimensions (mm): Diameter: 16  SAA	

	  	DSF9030
	FLOOR MOUNTED DOOR STOP Dimensions (mm): Diameter: 30  SAA	

ALUMINIUM

	  	DSF9031
	LARGE FLOOR MOUNTED DOOR STOP Dimensions (mm): Diameter: 78  SAA	

	  	DSF9032
	FLOOR MOUNTED DOOR STOP Dimensions (mm): Diameter: 44  SAA	

ALUMINIUM



HCH9012

FLAT COAT HOOK

Dimensions (mm):

Overall: 70x20



HCH9013

FLAT HAT AND COAT HOOK

Dimensions (mm):

Overall: 175x20



ALUMINIUM



LIP9001 + PLB9001

LIP9001

SAFETY LEVER ON INNER PLATE


Dimensions (mm):

Backplate:	154x40
Projection:	68
Lever Length:	143
Bar:	19 Dia.
Plate Thickness:	10



	CODE	DESCRIPTION
	PLE9001	Euro Plate - 47.5 c/c
	PLB9001	Latch Plate
	PLP9001	Lock Plate
	PLT9001	Bathroom Plate + Turn
	PLU9001	Oval Plate - 48.5 c/c

ALUMINIUM

  LIP9001 + PLB9001	      LIP9001/DIN SAFETY LEVER ON INNER PLATE DIN Dimensions (mm): <table> <tr> <td>Backplate:</td> <td>154x40</td> </tr> <tr> <td>Projection:</td> <td>68</td> </tr> <tr> <td>Lever Length:</td> <td>143</td> </tr> <tr> <td>Bar:</td> <td>19 Dia.</td> </tr> <tr> <td>Plate Thickness:</td> <td>10</td> </tr> </table>  SAA	Backplate:	154x40	Projection:	68	Lever Length:	143	Bar:	19 Dia.	Plate Thickness:	10
Backplate:	154x40										
Projection:	68										
Lever Length:	143										
Bar:	19 Dia.										
Plate Thickness:	10										

	CODE	DESCRIPTION
	PLE9001/72	Euro Plate - Din 72 c/c
	PLT9001/78	Bathroom Plate - Din 78 c/c + Turn