

AUTOMATIC CLEAN WATER PUMP – BLACK



DESCRIPTION

The submersible pump with plastic housing is configured to use with clean water that does not contain any abrasive particles.

AUTOMATIC CLEAN WATER PUMP – BLACK

KEY FEATURES

- ▶ Fast and Effective Reliability
- ▶ And Easy to Use Long-Lasting
- ▶ Protection from Overload
- ▶ Irrigation

APPLICATIONS

- ▶ Domestic
- ▶ Gardening
- ▶ Irrigation
- ▶ Emptying Tanks

OPERATING CONDITIONS

- ▶ 8 m Maximum Immersion Depth Liquid
- ▶ Temperature up to 35°C Maximum
- ▶ Ambient Temperature 40°C



MODEL: QDP90-4SE

Power(IN)	Q (m3h)	0	0.6	1.2	1.8	2.4	3	3.6	4.2	4.8	5.4
KW	Q (l/min)	0	10	20	30	40	50	60	70	80	90
1	H	42	40.5	38.5	36.5	34	30.5	26	20	14	8

AUTOMATIC CLEAN WATER PUMP – BLACK

MOTOR – SPECIFICATION

Two-pole induction	n=2850 r.p.m
motor Insulation Class	B
Protection	IP68
Continuous service	S1
Shield	Thermal protector

COMPONENT CONSTRUCTION

Pump body	Techno polymer & AISI304 SS
Suction filter	Techno polymer
Impeller	Noryl
Motor shaft	AISI304 SS
Mechanical seal	Ceramic/Graphite
Motor shaft	12m power cable with plug

