


LumiStrip

LumiStrip IP67 5M RGB

3036900



Product features

- 5 metre RGB IP67 silicon sleeved LED reel supplied with 25 x 200mm clear polycarbonate mounting strips which are pre-attached with 3M adhesive tape and 10 end caps, 24W, 24V, IP67, 50,000hrs (L70), (LxWxD) 5000x12.8x8mm



PRODUCT OVERVIEW

IPC Code	3036900
Product name	LumiStrip IP67 5M RGB
Technology	LED
Housing	Silicon
Mount	Surface Mounted
Environment	Internal/External
General application	Hospitality,Retail,Residential & Consumer
Certifications	EUNEW010
ETIM Class	EC002706
E-number FI	4270815
E-number SE	7558071
Fixture luminous flux (lm)	900 (180/metre)
Luminaire efficacy (lm/W)	37.5
LOR (%)	100
Light colour	RGB
Beam Angle (°)	120
Total power consumption (W)	36
Electrical protection	Class III
Control gear mounting	Remote
Average life (Nominal) (h)	50000
IP rating	IP67
Product EAN number	8711971369004
Lamps	Yes
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	3036900
Product name	LumiStrip IP67 5M RGB
Technology	LED
Housing	Silicon
Mount	Surface Mounted
Environment	Internal/External

LumiStrip

LumiStrip IP67 5M RGB
3036900

General application	Hospitality,Retail,Residential & Consumer
Operating temperature range (°C)	-25 to +50
Certifications	EUNEW010
ETIM Class	EC002706
E-number FI	4270815
E-number SE	7558071

Optical data

Fixture luminous flux (lm)	900 (180/metre)
Luminaire efficacy (lm/W)	37.5
LOR (%)	100
Light colour	RGB
Adjustable chromaticity	N
Beam Angle (°)	120
Distribution type	Direct

Electrical data

Total power consumption (W)	36
Mains voltage (V)	24V
Electrical protection	Class III
Control gear mounting	Remote
Glow Wire Test (°C)	650

Lifetime data

Average life (Nominal) (h)	50000
----------------------------	-------

Physical data


IP rating	IP67
Diffuser finish	Clear
Diffuser material	Silicon
Nominal Product Length (mm)	5000
Nominal Product Width (mm)	12.8
Nominal Product Height (mm)	8
Weight (kg)	0.54

Packaging

Single packaging type	Carton
Product EAN number	8711971369004
Packaging single length / height (cm)	22.7
Packaging single width (cm)	4.6
Packaging single depth (cm)	27.3
Units per outer package	9
Packaging outer length / height (cm)	42.9
Packaging outer width (cm)	30.7
Packaging outer depth (cm)	26.8

TECHNICAL DRAWINGS


LumiStrip LumiStrip IP67 5M RGB 3036900



Lumiance 3036900



This luminaire contains built in LED lamps.




The lamps cannot be changed in the luminaire.

874/2012



This luminaire contains built in LED lamps.

The lamps cannot be changed in the luminaire.



Lumiance 3036900

874/2012

LumiStrip

LumiStrip IP67 5M RGB

3036900
