

LumiStrip

LumiStrip Pro IP65 5M 2700K

3036938



Product features

- 5 metre amber white IP65 silicon sleeved LED reel supplied with 25 x 200mm clear polycarbonate mounting strips which are pre-attached with 3M adhesive tape and 10 end caps, 1950 lumens, 48W, 41lm/W, 24V, 2700K, IP20, 50,000hrs (L70), (LxWxD) 5000x8x3mm



PRODUCT OVERVIEW

IPC Code	3036938
Product name	LumiStrip Pro IP65 5M 2700K
Technology	LED
Housing	Silicon
Mount	Surface Mounted
Environment	Internal/External
General application	Hospitality,Retail,Residential & Consumer
Certifications	EUNEW019
ETIM Class	EC002955
Fixture luminous flux (lm)	1950 (390/metre)
Luminaire efficacy (lm/W)	37.39
LOR (%)	100
Colour temperature (K)	2700
Light colour	Amber White
CRI (Ra)	80
Colour Consistency (SDCM)	3
Beam Angle (°)	120
Total power consumption (W)	48
Electrical protection	Class III
Average life (Nominal) (h)	50000
IP rating	IP65
Product EAN number	8711971369387
Lamps	Yes
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	3036938
Product name	LumiStrip Pro IP65 5M 2700K
Technology	LED
Housing	Silicon
Mount	Surface Mounted
Environment	Internal/External

LumiStrip

LumiStrip Pro IP65 5M 2700K
3036938

General application	Hospitality,Retail,Residential & Consumer
Operating temperature range (°C)	-25 to +50
Certifications	EUNEW019
ETIM Class	EC002955

Optical data

Fixture luminous flux (lm)	1950 (390/metre)
Luminaire efficacy (lm/W)	37.39
LOR (%)	100
Colour temperature (K)	2700
Light colour	Amber White
CRI (Ra)	80
Colour Consistency (SDCM)	3
Adjustable chromaticity	N
Beam Angle (°)	120
Distribution type	Direct

Electrical data

Total power consumption (W)	48
Mains voltage (V)	24V
Electrical protection	Class III
Glow Wire Test (°C)	650

Lifetime data

Average life (Nominal) (h)	50000
----------------------------	-------

Physical data


IP rating	IP65
Diffuser finish	Clear
Diffuser material	Silicon
Nominal Product Length (mm)	5000
Nominal Product Width (mm)	12.8
Nominal Product Height (mm)	8
Weight (kg)	0.66

Packaging


Single packaging type	Carton
Product EAN number	8711971369387
Packaging single length / height (cm)	22.7
Packaging single width (cm)	4.6
Packaging single depth (cm)	27.3
DUN14 (outer)	18711971369384
Units per outer package	9
Packaging outer length / height (cm)	42.9
Packaging outer width (cm)	30.7
Packaging outer depth (cm)	26.8

LumiStrip
LumiStrip Pro IP65 5M 2700K
3036938

PHOTOMETRY



TECHNICAL DRAWINGS



LumiStrip LumiStrip Pro IP65 5M 2700K 3036938

