Myriad V LED - Housing Only MYRIAD SS HOUSING 3000K DIM EM 2049514



Product features

• MYRIAD SS HOUSING 3000K DIM EM













NOTES

undefined

PRODUCT OVERVIEW

IDO Ondo	2040514
IPC Code	2049514
Product name	MYRIAD SS HOUSING 3000K DIM EM
Technology	LED
Mount	Ceiling recessed
Environment	Interior
General application	Museums & Galleries, Office, Retail, Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001744
Fixture luminous flux (lm)	1114
Luminaire efficacy (Im/W)	93
LOR (%)	100
Colour temperature (K)	3000
Beam Angle (°)	30
Luminous flux (emergency) (lm)	347
Total power consumption (W)	12
Electrical protection	Class II
Control gear type	Dimmable + Emergency
Control gear mounting	Integral
IP rating	IP20
Product EAN number	5025768495146
Lamps	Yes
Included lamp	INTEGRATED LED

DATA TABLE

IPC Code	2049514
Product name	MYRIAD SS HOUSING 3000K DIM EM




Myriad V LED - Housing Only MYRIAD SS HOUSING 3000K DIM EM 2049514

Technology	LED
Mount	Ceiling recessed
Environment	Interior
General application	Museums & Galleries, Office, Retail, Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001744
Optical data	
Fixture luminous flux (lm)	1114
Luminaire efficacy (Im/W)	93
LOR (%)	100
Colour temperature (K)	3000
Adjustable chromaticity	N
Beam Angle (°)	30
Distribution type	Direct symmetrical
Luminous flux (emergency) (lm)	347
, , , ,	
Electrical data	
Total power consumption (W)	12
Mains voltage (V)	220-240V~
Electrical protection	Class II
Control gear type	Dimmable + Emergency
Control gear mounting	Integral
Drive current (mA)	250
Nominal Frequency (Hz)	50/60Hz
Physical data	
IP rating	IP20
Weight (kg)	1.4
Recessed Depth (mm)	72
Packaging	
Single packaging type	Carton
Product EAN number	5025768495146
Packaging single length / height (cm)	27.5
Packaging single width (cm)	25.0
Packaging single depth (cm)	12.5
DUN14 (outer)	05025768495146
Units per outer package	1
Packaging outer length / height (cm)	27.5
Packaging outer width (cm)	25.0
Packaging outer depth (cm)	12.5
,	

PHOTOMETRY

Concord

Myriad V LED - Housing Only MYRIAD SS HOUSING 3000K DIM EM 2049514



TECHNICAL DRAWINGS



Myriad V LED - Housing Only MYRIAD SS HOUSING 3000K DIM EM 2049514

