Myriad V LED - Housing Only MYRIAD SS HOUS 4000K DIMM 2049515



Product features

• MYRIAD SS HOUS 4000K DIMM











PRODUCT OVERVIEW

IPC Code	2049515
Product name	MYRIAD SS HOUS 4000K DIMM
Technology	LED
Mount	Ceiling recessed
Environment	Interior
General application	Museums & Galleries, Office, Retail, Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001744
E-number SE	7462008
E-number Norway	3290240
Fixture luminous flux (lm)	1093
Luminaire efficacy (lm/W)	109
LOR (%)	100
Colour temperature (K)	4000
Beam Angle (°)	30
Total power consumption (W)	10
Electrical protection	Class II
Control gear type	Dimmable
Control gear mounting	Integral
IP rating	IP20
Product EAN number	5025768495153
Lamps	Yes
Included lamp	INTEGRATED LED

DATA TABLE

General data	
IPC Code	2049515
Product name	MYRIAD SS HOUS 4000K DIMM
Technology	LED
Mount	Ceiling recessed
Environment	Interior
General application	Museums & Galleries, Office, Retail, Residential & Consumer




Myriad V LED - Housing Only MYRIAD SS HOUS 4000K DIMM 2049515


Certifications	EUNEW008
ETIM Class	EC001744
E-number SE	7462008
E-number Norway	3290240
Optical data	
Fixture luminous flux (Im)	1093
Luminaire efficacy (Im/W)	109
LOR (%)	100
Colour temperature (K)	4000
Adjustable chromaticity	N
Beam Angle (°)	30
Distribution type	Direct symmetrical
Diodribation typo	Direct Symmouncui
Electrical data	
Total power consumption (W)	10
Mains voltage (V)	220-240V~
Electrical protection	Class II
Control gear type	Dimmable
Control gear mounting	Integral
Drive current (mA)	250
Nominal Frequency (Hz)	50/60Hz
Physical data	
	ID20
IP rating	IP20
Weight (kg)	0.37
Recessed Depth (mm)	72
Packaging	
Single packaging type	Carton
Product EAN number	5025768495153
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5
gg cator aspan (onl)	

PHOTOMETRY

Concord

Myriad V LED - Housing Only MYRIAD SS HOUS 4000K DIMM 2049515





TECHNICAL DRAWINGS





Myriad V LED - Housing Only MYRIAD SS HOUS 4000K DIMM 2049515

