LumiStrip

LumiStrip Pro IP65 5M NW

3036958



Product features

- 5 metre neutral white IP65 silicon sleeved LED reel supplied with 25 x 200mm clear polycarbonate mounting strips which is pre-attached with 3M adhesive tape and 10 end caps, 2625 lumens, 48W, 55lm/W, 24V, 4000K, IP20, 50,000hrs (L70), (LxWxD) 5000x8x3mm

PRODUCT OVERVIEW

IPC Code	3036958
Product name	LumiStrip Pro IP65 5M NW
Technology	LED
Housing	Silicon
Mount	Surface Mounted
Environment	Internal/External
General application	Hospitality,Retail,Residential & Consumer
Certifications	EUNEW019
ETIM Class	EC002706
Fixture luminous flux (lm)	2625 (525/metre)
Luminaire efficacy (lm/W)	54.69
LOR (%)	100
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	80
Colour Consistency (SDCM)	3
Beam Angle (°)	120
Total power consumption (W)	48
Electrical protection	Class III
Average life (Nominal) (h)	50000
IP rating	IP65
Product EAN number	8711971369585
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	3036958
Product name	LumiStrip Pro IP65 5M NW
Technology	LED
Housing	Silicon
Mount	Surface Mounted
Environment	Internal/External
General application	Hospitality,Retail,Residential & Consumer

© Feilo Sylvania | Date Printed: 19 Nov 2018

LumiStrip

LumiStrip Pro IP65 5M NW

3036958

Operating temperature range (°C)	-25 to +50
Certifications	EUNEW019
ETIM Class	EC002706

Optical data

Fixture luminous flux (lm)	2625 (525/metre)
Luminaire efficacy (lm/W)	54.69
LOR (%)	100
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	80
Colour Consistency (SDCM)	3
Adjustable chromaticity	N
Beam Angle (°)	120
Distribution type	Direct

Electrical data

Total power consumption (W)	48
Mains voltage (V)	24V
Electrical protection	Class III
Glow Wire Test (°C)	650

Lifetime data

Average life (Nominal) (h)	50000

Physical data

IP rating	IP65
Diffuser finish	Clear
Diffuser material	Silicon
Nominal Product Length (mm)	5000
Nominal Product Width (mm)	12.8
Nominal Product Height (mm)	8
Weight (kg)	0.451

Packaging

Single packaging type	Carton
Product EAN number	8711971369585
Packaging single length / height (cm)	27.4
Packaging single width (cm)	4.6
Packaging single depth (cm)	22.6
DUN14 (outer)	18711971369582
Units per outer package	9
Packaging outer length / height (cm)	43.0
Packaging outer width (cm)	26.7
Packaging outer depth (cm)	30.2


PHOTOMETRY

© Feilo Sylvania | Date Printed: 19 Nov 2018


LumiStrip


LumiStrip Pro IP65 5M NW

3036958



TECHNICAL DRAWINGS






© Feilo Sylvania | Date Printed: 19 Nov 2018

LumiStrip

LumiStrip Pro IP65 5M NW

3036958



© Feilo Sylvania | Date Printed: 19 Nov 2018