

Product features

• MYRIAD SS HOUS 3000K ELEC













PRODUCT OVERVIEW

IPC Code	2050661
Product name	MYRIAD SS HOUS 3000K ELEC
Technology	LED
Mount	Ceiling recessed
Environment	Interior
General application	Museums & Galleries, Office, Retail, Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001744
E-number SE	7462005
E-number Norway	3290233
Luminaire efficacy (lm/W)	65
LOR (%)	100
Colour temperature (K)	3000
CRI (Ra)	80
Beam Angle (°)	30
Total power consumption (W)	10
Electrical protection	Class II
Control gear type	Electronic
Control gear mounting	Integral
IP rating	IP20
Product EAN number	5025768506613
Included lamp	INTEGRATED LED


DATA TABLE

General data	
IPC Code	2050661
Product name	MYRIAD SS HOUS 3000K ELEC
Technology	LED
Mount	Ceiling recessed
Environment	Interior
General application	Museums & Galleries, Office, Retail, Residential & Consumer
Certifications	EUNEW008




ETIM Class	EC001744
E-number SE	7462005
E-number Norway	3290233
Optical data	
Luminaire efficacy (Im/W)	65
LOR (%)	100
Colour temperature (K)	3000
CRI (Ra)	80
Adjustable chromaticity	N
Beam Angle (°)	30
Distribution type	Direct symmetrical
Electrical data	
Total power consumption (W)	10
Electrical protection	Class II
Control gear type	Electronic
Control gear mounting	Integral
Drive current (mA)	250
Nominal Frequency (Hz)	50/60Hz
Physical data	
IP rating	IP20
Weight (kg)	0.37
Recessed Depth (mm)	72
Packaging	
Single packaging type	Carton
Product EAN number	5025768506613
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5

PHOTOMETRY



TECHNICAL DRAWINGS



Concord

Myriad V LED - Housing Only MYRIAD SS HOUS 3000K ELEC 2050661

