

Myriad V LED - Housing Only

MYRDHS 2.7K PHDIM
2057921



Product features

- Myriad Housing 2700K Phase dimmable



PRODUCT OVERVIEW

IPC Code	2057921
Product name	MYRDHS 2.7K PHDIM
Technology	LED
General application	Museums & Galleries, Office, Retail, Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001744
Fixture luminous flux (lm)	791
Luminaire efficacy (lm/W)	79
LOR (%)	100
Colour temperature (K)	2700
CRI (Ra)	85
Beam Angle (°)	30
Total power consumption (W)	10
Average life (Nominal) (h)	50000
IP rating	IP44
IK rating	IK02
Product EAN number	5025768579211
Lamps	Yes
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	2057921
Product name	MYRDHS 2.7K PHDIM
Technology	LED
General application	Museums & Galleries, Office, Retail, Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001744

Optical data

Fixture luminous flux (lm)	791
Luminaire efficacy (lm/W)	79
LOR (%)	100

Myriad V LED - Housing Only

MYRDHS 2.7K PHDIM
2057921

Colour temperature (K)	2700
CRI (Ra)	85
Adjustable chromaticity	N
Beam Angle (°)	30

Electrical data

Total power consumption (W)	10
Mains voltage (V)	230-240V~
Drive current (mA)	250

Lifetime data

Average life (Nominal) (h)	50000
----------------------------	-------



Physical data

IP rating	IP44
IK rating	IK02
Reflector finish	Aluminium
Weight (kg)	0.37
Recessed Depth (mm)	72

Packaging


Single packaging type	Carton
Product EAN number	5025768579211
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (outer)	05025768579211
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5

PHOTOMETRY



Myriad V LED - Housing Only MYRDHS 2.7K PHDIM 2057921


TECHNICAL DRAWINGS



Dimensions (mm)

Concord 2057921

 This luminaire contains built in LED lamps.



The lamps cannot be changed in the luminaire.

874/2012 

Myriad V LED - Housing Only MYRDHS 2.7K PHDIM 2057921

