Myriad V LED - IP65 Glass White Bezel

MYRIAD SS IP65 4000K DIM WH

2049529



Product features

- MYRIAD SS IP65 4000K Phase dimmable with white bezel

PRODUCT OVERVIEW

IPC Code	2049529
Product name	MYRIAD SS IP65 4000K DIM WH
Technology	LED
Mount	Ceiling recessed
Environment	Interior
General application	Hospitality,Office,Retail
Certifications	EUNEW008
ETIM Class	EC001744
E-number SE	7462014
E-number Norway	3290237
Fixture luminous flux (lm)	1050
Luminaire efficacy (lm/W)	105
LOR (%)	100
Colour temperature (K)	4000
Beam Angle (°)	30
Total power consumption (W)	10
Electrical protection	Class II
Control gear type	Dimmable
Control gear mounting	Integral
IP rating	IP65
Product EAN number	5025768495290
Lamps	Yes
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	2049529
Product name	MYRIAD SS IP65 4000K DIM WH
Technology	LED
Mount	Ceiling recessed
Environment	Interior
General application	Hospitality,Office,Retail
Certifications	EUNEW008

© Feilo Sylvania | Date Printed: 20 Nov 2018

Myriad V LED - IP65 Glass White Bezel

MYRIAD SS IP65 4000K DIM WH

2049529

ETIM Class	EC001744
E-number SE	7462014
E-number Norway	3290237

Optical data

Fixture luminous flux (lm)	1050
Luminaire efficacy (lm/W)	105
LOR (%)	100
Colour temperature (K)	4000
Adjustable chromaticity	N
Beam Angle (°)	30
Distribution type	Direct symmetrical

Electrical data

Total power consumption (W)	10
Mains voltage (V)	220-240V~
Electrical protection	Class II
Control gear type	Dimmable
Control gear mounting	Integral
Drive current (mA)	250
Nominal Frequency (Hz)	50/60Hz

Physical data

IP rating	IP65
Diffuser material	Glass
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	90
Weight (kg)	0.39
Recessed Depth (mm)	72

Packaging

Single packaging type	Carton
Product EAN number	5025768495290
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5


PHOTOMETRY

© Feilo Sylvania | Date Printed: 20 Nov 2018


Myriad V LED - IP65 Glass White Bezel

MYRIAD SS IP65 4000K DIM WH

2049529



TECHNICAL DRAWINGS





© Feilo Sylvania | Date Printed: 20 Nov 2018

Myriad V LED - IP65 Glass White Bezel

MYRIAD SS IP65 4000K DIM WH

2049529





© Feilo Sylvania | Date Printed: 20 Nov 2018