

Myriad V LED - IP65 Glass White Bezel

MYRIAD SS IP65 4000K DIM WH EM
2049530



Product features

- MYRIAD SS IP65 4000K Phase dimmable emergency with white bezel



PRODUCT OVERVIEW

IPC Code	2049530
Product name	MYRIAD SS IP65 4000K DIM WH EM
Technology	LED
Mount	Ceiling recessed
Environment	Interior
General application	Hospitality,Office,Retail
Certifications	EUNEW001
ETIM Class	EC001744
Fixture luminous flux (lm)	1050
Luminaire efficacy (lm/W)	88
LOR (%)	100
Colour temperature (K)	4000
Beam Angle (°)	30
Luminous flux (emergency) (lm)	347
Total power consumption (W)	12
Electrical protection	Class II
Control gear type	Dimmable + Emergency
Control gear mounting	Integral
IP rating	IP65
Product EAN number	5025768495306
Lamps	Yes
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	2049530
Product name	MYRIAD SS IP65 4000K DIM WH EM
Technology	LED
Mount	Ceiling recessed
Environment	Interior
General application	Hospitality,Office,Retail
Certifications	EUNEW001
ETIM Class	EC001744

Myriad V LED - IP65 Glass White Bezel

MYRIAD SS IP65 4000K DIM WH EM
2049530

Optical data

Fixture luminous flux (lm)	1050
Luminaire efficacy (lm/W)	88
LOR (%)	100
Colour temperature (K)	4000
Adjustable chromaticity	N
Beam Angle (°)	30
Distribution type	Direct symmetrical
Luminous flux (emergency) (lm)	347

Electrical data

Total power consumption (W)	12
Mains voltage (V)	220-240V~
Electrical protection	Class II
Control gear type	Dimmable + Emergency
Control gear mounting	Integral
Drive current (mA)	250
Nominal Frequency (Hz)	50/60Hz

Physical data

IP rating	IP65
Diffuser material	Glass
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	90
Weight (kg)	1.42
Recessed Depth (mm)	72

Packaging


Single packaging type	Carton
Product EAN number	5025768495306
Packaging single length / height (cm)	27.5
Packaging single width (cm)	25.0
Packaging single depth (cm)	12.5
DUN14 (outer)	05025768495306
Units per outer package	1
Packaging outer length / height (cm)	27.5
Packaging outer width (cm)	25.0
Packaging outer depth (cm)	12.5

PHOTOMETRY

Myriad V LED - IP65 Glass White Bezel MYRIAD SS IP65 4000K DIM WH EM 2049530

Concord 2049530


 This luminaire contains built in LED lamps.



The lamps cannot be changed in the luminaire.

874/2012 

 This luminaire contains built in LED lamps.



The lamps cannot be changed in the luminaire.

Concord 2049530 

874/2012