

Myriad V LED - IP65 Glass White Bezel

MYRIAD SS IP65 3000K DALI WH
2049537



Product features

- MYRIAD SS IP65 3000K DALI dimmable with white bezel



PRODUCT OVERVIEW

IPC Code	2049537
Product name	MYRIAD SS IP65 3000K DALI WH
Technology	LED
Mount	Ceiling recessed
Environment	Interior
General application	Hospitality, Office, Retail
Certifications	EUNEW008
ETIM Class	EC001744
E-number SE	7462015
E-number Norway	3290232
Fixture luminous flux (lm)	1069
Luminaire efficacy (lm/W)	107
LOR (%)	100
Colour temperature (K)	3000
Beam Angle (°)	30
Total power consumption (W)	10
Electrical protection	Class II
Control gear type	DALI
Control gear mounting	Integral
IP rating	IP65
Product EAN number	5025768495375
Lamps	Yes
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	2049537
Product name	MYRIAD SS IP65 3000K DALI WH
Technology	LED
Mount	Ceiling recessed
Environment	Interior
General application	Hospitality, Office, Retail
Certifications	EUNEW008

Myriad V LED - IP65 Glass White Bezel

MYRIAD SS IP65 3000K DALI WH

2049537

ETIM Class	EC001744
E-number SE	7462015
E-number Norway	3290232

Optical data

Fixture luminous flux (lm)	1069
Luminaire efficacy (lm/W)	107
LOR (%)	100
Colour temperature (K)	3000
Adjustable chromaticity	N
Beam Angle (°)	30
Distribution type	Direct symmetrical

Electrical data

Total power consumption (W)	10
Mains voltage (V)	220-240V~
Electrical protection	Class II
Control gear type	DALI
Control gear mounting	Integral
Drive current (mA)	250
Nominal Frequency (Hz)	50/60Hz

Physical data

IP rating	IP65
Diffuser material	Glass
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	90
Weight (kg)	0.39
Recessed Depth (mm)	72



Packaging

Single packaging type	Carton
Product EAN number	5025768495375
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5


PHOTOMETRY

Myriad V LED - IP65 Glass White Bezel

MYRIAD SS IP65 3000K DALI WH
2049537



TECHNICAL DRAWINGS



Myriad V LED - IP65 Glass White Bezel

MYRIAD SS IP65 3000K DALI WH
2049537

