# Myriad V LED - IP65 Glass White Bezel

*MYRIAD SS IP65 3000K ELE WH EM*

**2050668**



**Product features**

- MYRIADSS IP65 3000K ELE WH EM

## PRODUCT OVERVIEW

| | |
|---|---|
| **IPC Code** | 2050668 |
| **Product name** | MYRIAD SS IP65 3000K ELE WH EM |
| **Technology** | LED |
| **Mount** | Ceiling recessed |
| **Environment** | Interior |
| **General application** | Hospitality,Office,Retail,Residential & Consumer |
| **Certifications** | EUNEW001 |
| **ETIM Class** | EC001744 |
| **Luminaire efficacy (lm/W)** | 62 |
| **LOR (%)** | 100 |
| **Colour temperature (K)** | 3000 |
| **CRI (Ra)** | 80 |
| **Beam Angle (°)** | 30 |
| **Total power consumption (W)** | 12 |
| **Electrical protection** | Class II |
| **Control gear type** | Electronic + Emergency |
| **Control gear mounting** | Integral |
| **IP rating** | IP65 |
| **Product EAN number** | 5025768506682 |
| **Included lamp** | INTEGRATED LED |

## DATA TABLE

### General data

| | |
|---|---|
| **IPC Code** | 2050668 |
| **Product name** | MYRIAD SS IP65 3000K ELE WH EM |
| **Technology** | LED |
| **Mount** | Ceiling recessed |
| **Environment** | Interior |
| **General application** | Hospitality,Office,Retail,Residential & Consumer |
| **Certifications** | EUNEW001 |
| **ETIM Class** | EC001744 |



© Feilo Sylvania | Date Printed: 20 Nov 2018

# Myriad V LED - IP65 Glass White Bezel

*MYRIAD SS IP65 3000K ELE WH EM*

**2050668**

## Optical data

| | |
|---|---|
| **Luminaire efficacy (lm/W)** | 62 |
| **LOR (%)** | 100 |
| **Colour temperature (K)** | 3000 |
| **CRI (Ra)** | 80 |
| **Adjustable chromaticity** | N |
| **Beam Angle (°)** | 30 |
| **Distribution type** | Direct symmetrical |

## Electrical data

| | |
|---|---|
| **Total power consumption (W)** | 12 |
| **Electrical protection** | Class II |
| **Control gear type** | Electronic + Emergency |
| **Control gear mounting** | Integral |
| **Drive current (mA)** | 250 |
| **Nominal Frequency (Hz)** | 50/60Hz |


## Physical data


| | |
|---|---|
| **IP rating** | IP65 |
| **Diffuser material** | Glass |
| **Weight (kg)** | 1.37 |
| **Recessed Depth (mm)** | 72 |

## Packaging

| | |
|---|---|
| **Single packaging type** | Carton |
| **Product EAN number** | 5025768506682 |
| **Packaging single length / height (cm)** | 27.5 |
| **Packaging single width (cm)** | 25.0 |
| **Packaging single depth (cm)** | 12.5 |
| **Units per outer package** | 1 |
| **Packaging outer length / height (cm)** | 27.5 |
| **Packaging outer width (cm)** | 25.0 |
| **Packaging outer depth (cm)** | 12.5 |

## PHOTOMETRY







© Feilo Sylvania | Date Printed: 20 Nov 2018


# Myriad V LED - IP65 Glass White Bezel

*MYRIAD SS IP65 3000K ELE WH EM*

**2050668**

## TECHNICAL DRAWINGS









© Feilo Sylvania | Date Printed: 20 Nov 2018

# Myriad V LED - IP65 Glass White Bezel

*MYRIAD SS IP65 3000K ELE WH EM*

**2050668**






© Feilo Sylvania | Date Printed: 20 Nov 2018