Myriad V LED - IP65 Glass White Bezel

MYRIAD SS IP65 4000K ELE WH

2050671



Product features

- MYRIAS SS IP65 4000K ELE WH

PRODUCT OVERVIEW

IPC Code	2050671
Product name	MYRIAD SS IP65 4000K ELE WH
Technology	LED
Mount	Ceiling recessed
Environment	Interior
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001744
E-number SE	7462012
E-number Norway	3290236
Fixture luminous flux (lm)	1050
Luminaire efficacy (lm/W)	105
LOR (%)	100
Colour temperature (K)	4000
CRI (Ra)	80
Beam Angle (°)	30
Photobiological Risk Group	RG1
Total power consumption (W)	10
Electrical protection	Class II
Control gear type	Electronic
Control gear mounting	Integral
Housing colour	White
IP rating	IP65
Product EAN number	5025768506712
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	2050671
Product name	MYRIAD SS IP65 4000K ELE WH
Technology	LED
Mount	Ceiling recessed
Environment	Interior

© Feilo Sylvania | Date Printed: 20 Nov 2018

Myriad V LED - IP65 Glass White Bezel

MYRIAD SS IP65 4000K ELE WH

2050671

General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001744
E-number SE	7462012
E-number Norway	3290236

Optical data

Fixture luminous flux (lm)	1050
Luminaire efficacy (lm/W)	105
LOR (%)	100
Colour temperature (K)	4000
CRI (Ra)	80
Adjustable chromaticity	N
Beam Angle (°)	30
Distribution type	Adjustable
Photobiological Risk Group	RG1

Electrical data

Total power consumption (W)	10
Mains voltage (V)	230V~
Electrical protection	Class II
Control gear type	Electronic
Control gear mounting	Integral
Drive current (mA)	250
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B10	50000

Physical data

Housing colour	White
IP rating	IP65
Diffuser material	Glass
Max. Lamp Diameter (mm) - D	76
Weight (kg)	0.39
Recessed Depth (mm)	72

Packaging

Single packaging type	Carton
Product EAN number	5025768506712
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5


© Feilo Sylvania | Date Printed: 20 Nov 2018


Myriad V LED - IP65 Glass White Bezel

MYRIAD SS IP65 4000K ELE WH


2050671

PHOTOMETRY





TECHNICAL DRAWINGS





© Feilo Sylvania | Date Printed: 20 Nov 2018

Myriad V LED - IP65 Glass White Bezel

MYRIAD SS IP65 4000K ELE WH

2050671





© Feilo Sylvania | Date Printed: 20 Nov 2018