

Myriad V LED - IP65 Glass White Bezel

MYRIAD SS IP65 2700K PHDM WH EM
2057927



Product features

- MYRIAD SS IP65 2700K Phase dimmable with white bezel and emergency



PRODUCT OVERVIEW

IPC Code	2057927
Product name	MYRIAD SS IP65 2700K PHDM WH EM
Technology	LED
Environment	Internal
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW001
ETIM Class	EC001744
Fixture luminous flux (lm)	755
Luminaire efficacy (lm/W)	63
LOR (%)	100
Colour temperature (K)	2700
CRI (Ra)	85
Beam Angle (°)	30
Photobiological Risk Group	-
Luminous flux (emergency) (lm)	275
Total power consumption (W)	12
Electrical protection	Class II
Average life (Nominal) (h)	50000
IP rating	IP65
IK rating	IK02
Product EAN number	5025768579273
Lamps	No
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	2057927
Product name	MYRIAD SS IP65 2700K PHDM WH EM
Technology	LED
Environment	Internal
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW001
ETIM Class	EC001744

Myriad V LED - IP65 Glass White Bezel

MYRIAD SS IP65 2700K PHDM WH EM
2057927

Optical data

Fixture luminous flux (lm)	755
Luminaire efficacy (lm/W)	63
LOR (%)	100
Colour temperature (K)	2700
CRI (Ra)	85
Adjustable chromaticity	N
Beam Angle (°)	30
Photobiological Risk Group	-
Luminous flux (emergency) (lm)	275

Electrical data

Total power consumption (W)	12
Mains voltage (V)	230-240V~
Electrical protection	Class II
Transformer required	Yes
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	50000
Average life (Nominal) (h)	50000

Physical data

IP rating	IP65
IK rating	IK02
Reflector finish	Aluminium
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	90
Max. Lamp Diameter (mm) - D	90
Weight (kg)	1.37
Recessed Depth (mm)	72





Packaging

Single packaging type	Carton
Product EAN number	5025768579273
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (outer)	05025768579273
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5


PHOTOMETRY

Myriad V LED - IP65 Glass White Bezel

MYRIAD SS IP65 2700K PHDM WH EM
2057927



TECHNICAL DRAWINGS



Myriad V LED - IP65 Glass White Bezel

MYRIAD SS IP65 2700K PHDM WH EM
2057927

