

Myriad V LED - IP65 Glass White Bezel

MYRD IP ST 3K DALI BLK WBEZ
2058885



Product features

- MYRD IP ST 3K DALI BLK WBEZ



PRODUCT OVERVIEW

IPC Code	2058885
Product name	MYRD IP ST 3K DALI BLK WBEZ
Technology	LED
Housing	Aluminium
Mount	Ceiling recessed
Environment	Integral
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001744
Fixture luminous flux (lm)	1106
Luminaire efficacy (lm/W)	111
LOR (%)	100
Colour temperature (K)	3000
CRI (Ra)	85
Beam Angle (°)	28
Photobiological Risk Group	-
Total power consumption (W)	10
Electrical protection	Class II
Control gear type	Electronic
Minimum dimming level (%)	1
Average life (Nominal) (h)	50000
Housing colour	Black Trim
IP rating	IP65
IK rating	IK02
Product EAN number	5025768588855
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	2058885
Product name	MYRD IP ST 3K DALI BLK WBEZ
Technology	LED
Housing	Aluminium

Myriad V LED - IP65 Glass White Bezel

MYRD IP ST 3K DALI BLK WBEZ
2058885

Mount	Ceiling recessed
Environment	Integral
General application	Hospitality,Office,Retail,Residential & Consumer
Operating temperature rated (°C)	25
Certifications	EUNEW008
ETIM Class	EC001744

Optical data

Fixture luminous flux (lm)	1106
Luminaire efficacy (lm/W)	111
LOR (%)	100
Colour temperature (K)	3000
CRI (Ra)	85
Adjustable chromaticity	N
Beam Angle (°)	28
Distribution type	Direct
Photobiological Risk Group	-

Electrical data

Total power consumption (W)	10
Mains voltage (V)	230-240V~
Electrical protection	Class II
Control gear type	Electronic
Transformer required	Yes
Minimum dimming level (%)	1
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	50000
Average life (Nominal) (h)	50000

Physical data

Housing colour	Black Trim
IP rating	IP65
IK rating	IK02
Diffuser finish	Black Trim White Bezel
Reflector finish	Aluminium
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	90
Weight (kg)	0.44
Recessed Depth (mm)	72


Packaging

Single packaging type	Carton
Product EAN number	5025768588855
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (outer)	05025768588855

Myriad V LED - IP65 Glass White Bezel MYRD IP ST 3K DALI BLK WBEZ 2058885

Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5


PHOTOMETRY



Distance [m]	Cone diameter [m]	E _{0°} [lx]	E _{14.4°} [lx]
0.5	0.26	1254	570
1.0	0.51	311	143
1.5	0.77	192	93
2.0	1.03	139	68
2.5	1.28	101	50
3.0	1.54	79	39

Distance [m] Cone diameter [m] Illuminance [lx]
C0 - C180 (Half beam angle: 28.9°)


TECHNICAL DRAWINGS



Myriad V LED - IP65 Glass White Bezel MYRD IP ST 3K DALI BLK WBEZ 2058885

Concord 2058885


 This luminaire contains built in LED lamps.



The lamps cannot be changed in the luminaire.

874/2012 

 This luminaire contains built in LED lamps.



The lamps cannot be changed in the luminaire.

Concord 2058885  874/2012