

Myriad V LED - IP65 Glass White Bezel

MYRD IP FL 2.7K PHDM SIL WBEZ

2059249



Product features

- MYRIAD IP65 FLOOK 2700K Phase dimmable with silver reflector and white bezel



PRODUCT OVERVIEW

IPC Code	2059249
Product name	MYRD IP FL 2.7K PHDM SIL WBEZ
Technology	LED
Housing	Aluminium
Mount	Ceiling recessed
Environment	Integral
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001744
Fixture luminous flux (lm)	1128
Luminaire efficacy (lm/W)	113
LOR (%)	100
Colour temperature (K)	2700
CRI (Ra)	85
Beam Angle (°)	46
Photobiological Risk Group	-
Total power consumption (W)	10
Electrical protection	Class II
Control gear type	Electronic
Minimum dimming level (%)	10
Average life (Nominal) (h)	50000
Housing colour	Silver Trim
IP rating	IP65
IK rating	IK02
Product EAN number	5025768592494
Lamps	Yes
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	2059249
Product name	MYRD IP FL 2.7K PHDM SIL WBEZ
Technology	LED

Myriad V LED - IP65 Glass White Bezel

MYRD IP FL 2.7K PHDM SIL WBEZ

2059249

Housing	Aluminium
Mount	Ceiling recessed
Environment	Integral
General application	Hospitality,Office,Retail,Residential & Consumer
Operating temperature rated (°C)	25
Certifications	EUNEW008
ETIM Class	EC001744

Optical data

Fixture luminous flux (lm)	1128
Luminaire efficacy (lm/W)	113
LOR (%)	100
Colour temperature (K)	2700
CRI (Ra)	85
Adjustable chromaticity	N
Beam Angle (°)	46
Distribution type	Direct
Photobiological Risk Group	-

Electrical data

Total power consumption (W)	10
Mains voltage (V)	230-240V~
Electrical protection	Class II
Control gear type	Electronic
Transformer required	Yes
Minimum dimming level (%)	10
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	50000
Average life (Nominal) (h)	50000

Physical data

Housing colour	Silver Trim
IP rating	IP65
IK rating	IK02
Diffuser finish	Silver Trim White Bezel
Reflector finish	Aluminium
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	90
Weight (kg)	0.44
Recessed Depth (mm)	72

Packaging


Single packaging type	Carton
Product EAN number	5025768592494
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5

Myriad V LED - IP65 Glass White Bezel

MYRD IP FL 2.7K PHDM SIL WBEZ
2059249

DUN14 (outer)	05025768592494
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5


PHOTOMETRY



Distance [m]	Cone diameter [m]	Beam angle [°]	Beam angle [°]	Illuminance [lx]
0.5	0.34	111°	18.9°	2783
1.0	0.68	111°	18.9°	696
1.5	1.03	111°	18.9°	304
2.0	1.37	111°	18.9°	228
2.5	1.71	111°	18.9°	183
3.0	2.05	111°	18.9°	154

Distance [m] Cone diameter [m] Illuminance [lx]
C0 - C180 (Half beam angle: 37.8°)

TECHNICAL DRAWINGS



Myriad V LED - IP65 Glass White Bezel

MYRD IP FL 2.7K PHDM SIL WBEZ
2059249

