

Myriad V LED - IP65 Glass White Bezel


MYRD IP FL 3K DALIEM SIL WBEZ

2059256



Product features

- MYRD IP FL 3K DALIEM SIL WBEZ



PRODUCT OVERVIEW

IPC Code	2059256
Product name	MYRD IP FL 3K DALIEM SIL WBEZ
Technology	LED
Housing	Aluminium
Mount	Ceiling recessed
Environment	Integral
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW001
ETIM Class	EC001744
Fixture luminous flux (lm)	988
Luminous flux (lm)	753
Luminaire efficacy (lm/W)	82
LOR (%)	100
Colour temperature (K)	3000
CRI (Ra)	85
Beam Angle (°)	46
Photobiological Risk Group	-
Luminous flux (emergency) (lm)	359
Total power consumption (W)	12
Electrical protection	Class II
Control gear type	Electronic
Minimum dimming level (%)	1
Average life (Nominal) (h)	50000
Housing colour	Silver Trim
IP rating	IP65
IK rating	IK02
Product EAN number	5025768592562
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	2059256
----------	---------

Myriad V LED - IP65 Glass White Bezel

MYRD IP FL 3K DALIEM SIL WBEZ

2059256

Product name	MYRD IP FL 3K DALIEM SIL WBEZ
Technology	LED
Housing	Aluminium
Mount	Ceiling recessed
Environment	Integral
General application	Hospitality,Office,Retail,Residential & Consumer
Operating temperature rated (°C)	25
Certifications	EUNEW001
ETIM Class	EC001744

Optical data

Fixture luminous flux (lm)	988
Luminous flux (lm)	753
Luminaire efficacy (lm/W)	82
LOR (%)	100
Colour temperature (K)	3000
CRI (Ra)	85
Adjustable chromaticity	N
Beam Angle (°)	46
Distribution type	Direct
Photobiological Risk Group	-
Luminous flux (emergency) (lm)	359
Emergency duration (h)	3

Electrical data

Total power consumption (W)	12
Mains voltage (V)	230-240V~
Electrical protection	Class II
Control gear type	Electronic
Transformer required	Yes
Minimum dimming level (%)	1
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	50000
Average life (Nominal) (h)	50000

Physical data





Housing colour	Silver Trim
IP rating	IP65
IK rating	IK02
Diffuser finish	Silver Trim White Bezel
Reflector finish	Aluminium
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	90
Weight (kg)	1.44
Recessed Depth (mm)	72

Myriad V LED - IP65 Glass White Bezel
MYRD IP FL 3K DALIEM SIL WBEZ
2059256


Packaging

Single packaging type	Carton
Product EAN number	5025768592562
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (outer)	05025768592562
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5

PHOTOMETRY



TECHNICAL DRAWINGS



Myriad V LED - IP65 Glass White Bezel

MYRD IP FL 3K DALIEM SIL WBEZ
2059256

