

## Myriad V LED - IP65 Glass White Bezel

MYRD IP FL 4K DALIEM SIL WBEZ  
2059260



### Product features

- MYRD IP FL 4K DALIEM SIL WBEZ



## PRODUCT OVERVIEW

IPC Code	2059260
Product name	MYRD IP FL 4K DALIEM SIL WBEZ
Technology	LED
Housing	Aluminium
Mount	Ceiling recessed
Environment	Integral
General application	Hospitality, Office, Retail, Residential & Consumer
Certifications	EUNEW001
ETIM Class	EC001744
Fixture luminous flux (lm)	977
Luminaire efficacy (lm/W)	81
LOR (%)	100
Colour temperature (K)	4000
CRI (Ra)	85
Beam Angle (°)	46
Photobiological Risk Group	-
Luminous flux (emergency) (lm)	352
Total power consumption (W)	12
Electrical protection	Class II
Control gear type	Electronic
Minimum dimming level (%)	1
Average life (Nominal) (h)	50000
Housing colour	Silver Trim
IP rating	IP65
IK rating	IK02
Product EAN number	5025768592609
Included lamp	INTEGRATED LED

## DATA TABLE

### General data

IPC Code	2059260
Product name	MYRD IP FL 4K DALIEM SIL WBEZ

## Myriad V LED - IP65 Glass White Bezel

*MYRD IP FL 4K DALIEM SIL WBEZ*  
2059260

Technology	LED
Housing	Aluminium
Mount	Ceiling recessed
Environment	Integral
General application	Hospitality,Office,Retail,Residential & Consumer
Operating temperature rated (°C)	25
Certifications	EUNEW001
ETIM Class	EC001744

### Optical data

Fixture luminous flux (lm)	977
Luminaire efficacy (lm/W)	81
LOR (%)	100
Colour temperature (K)	4000
CRI (Ra)	85
Adjustable chromaticity	N
Beam Angle (°)	46
Distribution type	Direct
Photobiological Risk Group	-
Luminous flux (emergency) (lm)	352
Emergency duration (h)	3

### Electrical data

Total power consumption (W)	12
Mains voltage (V)	230-240V~
Electrical protection	Class II
Control gear type	Electronic
Transformer required	Yes
Minimum dimming level (%)	1
Nominal Frequency (Hz)	50/60Hz

### Lifetime data

Lumen maintenance - L70 B50	50000
Average life (Nominal) (h)	50000

### Physical data

Housing colour	Silver Trim
IP rating	IP65
IK rating	IK02
Diffuser finish	Silver Trim White Bezel
Reflector finish	Aluminium
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	90
Weight (kg)	1.44
Recessed Depth (mm)	72


### Packaging

Single packaging type	Carton
Product EAN number	5025768592609

## Myriad V LED - IP65 Glass White Bezel MYRD IP FL 4K DALIEM SIL WBEZ 2059260


Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (outer)	05025768592609
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5

### PHOTOMETRY



Distance [m]	Cone diameter [m]	E <sub>0</sub> [lx]	E <sub>1</sub> [lx]
0.5	0.32	3021	1312
1.0	0.63	756	328
1.5	0.95	336	146
2.0	1.27	189	82
2.5	1.59	121	52
3.0	1.90	84	36


Distance [m] Cone diameter [m] Illuminance [lx]  
 C0 - C180 (Half beam angle: 35.2°)



Distance [m]	Cone diameter [m]	E <sub>0</sub> [lx]	E <sub>1</sub> [lx]
0.5	0.32	8398	3541
1.0	0.63	2098	910
1.5	0.95	932	405
2.0	1.27	524	233
2.5	1.59	335	146
3.0	1.90	233	101

Distance [m] Cone diameter [m] Illuminance [lx]  
 C0 - C180 (Half beam angle: 35.2°)

### TECHNICAL DRAWINGS



## Myriad V LED - IP65 Glass White Bezel MYRD IP FL 4K DALIEM SIL WBEZ 2059260

**Concord** 2059260

 This luminaire contains built in LED lamps.

 } **LED**

The lamps cannot be changed in the luminaire.

874/2012 

 This luminaire contains built in LED lamps.

 } **LED**

The lamps cannot be changed in the luminaire.

**Concord** 2059260  874/2012