

Myriad V LED - IP65 Glass Chrome Bezel

MYRIAD SS IP65 3000K DIM CH EM
2049528



Product features

- MYRIAD SS IP65 3000K Phase dimmable emergency with chrome bezel



PRODUCT OVERVIEW

IPC Code	2049528
Product name	MYRIAD SS IP65 3000K DIM CH EM
Technology	LED
Mount	Ceiling recessed
Environment	Interior
General application	Hospitality,Office,Retail
Certifications	EUNEW001
ETIM Class	EC001744
Fixture luminous flux (lm)	1069
Luminaire efficacy (lm/W)	89
LOR (%)	100
Colour temperature (K)	3000
Beam Angle (°)	30
Photobiological Risk Group	-
Luminous flux (emergency) (lm)	344
Total power consumption (W)	12
Electrical protection	Class II
Control gear type	Dimmable + Emergency
Control gear mounting	Integral
IP rating	IP65
IK rating	IK02
Product EAN number	5025768495283
Lamps	Yes
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	2049528
Product name	MYRIAD SS IP65 3000K DIM CH EM
Technology	LED
Mount	Ceiling recessed
Environment	Interior
General application	Hospitality,Office,Retail

Myriad V LED - IP65 Glass Chrome Bezel

MYRIAD SS IP65 3000K DIM CH EM
2049528

Certifications	EUNEW001
ETIM Class	EC001744

Optical data

Fixture luminous flux (lm)	1069
Luminaire efficacy (lm/W)	89
LOR (%)	100
Colour temperature (K)	3000
Adjustable chromaticity	N
Beam Angle (°)	30
Distribution type	Direct symmetrical
Photobiological Risk Group	-
Luminous flux (emergency) (lm)	344

Electrical data

Total power consumption (W)	12
Mains voltage (V)	220-240V~
Electrical protection	Class II
Control gear type	Dimmable + Emergency
Control gear mounting	Integral
Transformer required	Yes
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	50000
------------------------------------	-------

Physical data





IP rating	IP65
IK rating	IK02
Diffuser material	Glass
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	90
Weight (kg)	1.42
Recessed Depth (mm)	72

Packaging



Single packaging type	Carton
Product EAN number	5025768495283
Packaging single length / height (cm)	27.5
Packaging single width (cm)	25.0
Packaging single depth (cm)	12.5
Units per outer package	1
Packaging outer length / height (cm)	27.5
Packaging outer width (cm)	25.0
Packaging outer depth (cm)	12.5

PHOTOMETRY

Myriad V LED - IP65 Glass Chrome Bezel MYRIAD SS IP65 3000K DIM CH EM 2049528



TECHNICAL DRAWINGS



Myriad V LED - IP65 Glass Chrome Bezel MYRIAD SS IP65 3000K DIM CH EM 2049528

Concord 2049528

 This luminaire contains built in LED lamps.

 } **LED**

The lamps cannot be changed in the luminaire.

874/2012 

 This luminaire contains built in LED lamps.

 } **LED**

The lamps cannot be changed in the luminaire.

Concord 2049528  874/2012