

Myriad V LED - IP65 Glass Chrome Bezel

MYRIAD SS IP65 2700K PHDM CBEZ

2057929



Product features

- MYRIAD SS IP65 2700K Phase dimmable with chrome bezel



PRODUCT OVERVIEW

IPC Code	2057929
Product name	MYRIAD SS IP65 2700K PHDM CBEZ
Technology	LED
General application	Hospitality, Office, Retail
Certifications	EUNEW008
ETIM Class	EC001744
Fixture luminous flux (lm)	755
Luminaire efficacy (lm/W)	76
LOR (%)	100
Colour temperature (K)	2700
CRI (Ra)	85
Beam Angle (°)	30
Photobiological Risk Group	-
Total power consumption (W)	10
Electrical protection	Class II
Average life (Nominal) (h)	50000
IP rating	IP65
IK rating	IK02
Product EAN number	5025768579297
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	2057929
Product name	MYRIAD SS IP65 2700K PHDM CBEZ
Technology	LED
General application	Hospitality, Office, Retail
Certifications	EUNEW008
ETIM Class	EC001744

Optical data

Fixture luminous flux (lm)	755
Luminaire efficacy (lm/W)	76

Myriad V LED - IP65 Glass Chrome Bezel

MYRIAD SS IP65 2700K PHDM CBEZ

2057929

LOR (%)	100
Colour temperature (K)	2700
CRI (Ra)	85
Adjustable chromaticity	N
Beam Angle (°)	30
Photobiological Risk Group	-

Electrical data

Total power consumption (W)	10
Mains voltage (V)	230-240V~
Electrical protection	Class II
Transformer required	Yes
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	50000
Average life (Nominal) (h)	50000

Physical data

IP rating	IP65
IK rating	IK02
Reflector finish	Aluminium
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	90
Max. Lamp Diameter (mm) - D	90
Weight (kg)	0.37
Recessed Depth (mm)	72



Packaging

Single packaging type	Carton
Product EAN number	5025768579297
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (outer)	05025768579297
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5


PHOTOMETRY

Myriad V LED - IP65 Glass Chrome Bezel

MYRIAD SS IP65 2700K PHDM CBEZ
2057929



TECHNICAL DRAWINGS



Myriad V LED - IP65 Glass Chrome Bezel MYRIAD SS IP65 2700K PHDM CBEZ 2057929

