

Myriad V LED - IP65 Glass Chrome Bezel

MYRIAD SS IP65 2700K PHDM CH EM
2057931



Product features

- MYRIAD SS IP65 2700K Phase dimmable with chrome bezel and 3 hour emergency



PRODUCT OVERVIEW

IPC Code	2057931
Product name	MYRIAD SS IP65 2700K PHDM CH EM
Technology	LED
Environment	Internal
General application	Hospitality,Office,Retail
Certifications	EUNEW008
ETIM Class	EC001744
Fixture luminous flux (lm)	755
Luminaire efficacy (lm/W)	63
LOR (%)	100
Colour temperature (K)	2700
CRI (Ra)	85
Beam Angle (°)	30
Photobiological Risk Group	-
Luminous flux (emergency) (lm)	275
Total power consumption (W)	12
Electrical protection	Class II
Average life (Nominal) (h)	50000
IP rating	IP65
IK rating	IK02
Product EAN number	5025768579310
Lamps	No
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	2057931
Product name	MYRIAD SS IP65 2700K PHDM CH EM
Technology	LED
Environment	Internal
General application	Hospitality,Office,Retail
Certifications	EUNEW008
ETIM Class	EC001744

Myriad V LED - IP65 Glass Chrome Bezel

MYRIAD SS IP65 2700K PHDM CH EM
2057931

Optical data

Fixture luminous flux (lm)	755
Luminaire efficacy (lm/W)	63
LOR (%)	100
Colour temperature (K)	2700
CRI (Ra)	85
Adjustable chromaticity	N
Beam Angle (°)	30
Photobiological Risk Group	-
Luminous flux (emergency) (lm)	275

Electrical data

Total power consumption (W)	12
Mains voltage (V)	230-240V~
Electrical protection	Class II
Transformer required	Yes
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	50000
Average life (Nominal) (h)	50000

Physical data





IP rating	IP65
IK rating	IK02
Reflector finish	Aluminium
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	90
Max. Lamp Diameter (mm) - D	90
Weight (kg)	1.37
Recessed Depth (mm)	72

Packaging


Single packaging type	Carton
Product EAN number	5025768579310
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (outer)	05025768579310
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5

PHOTOMETRY

Myriad V LED - IP65 Glass Chrome Bezel MYRIAD SS IP65 2700K PHDM CH EM 2057931




TECHNICAL DRAWINGS



Myriad V LED - IP65 Glass Chrome Bezel MYRIAD SS IP65 2700K PHDM CH EM 2057931

Concord 2057931


 This luminaire contains built in LED lamps.



The lamps cannot be changed in the luminaire.

874/2012 

 This luminaire contains built in LED lamps.



The lamps cannot be changed in the luminaire.

Concord 2057931  874/2012