Myriad V LED - IP65 Glass Chrome Bezel

MYRD IP ST 2.7K PHDM SIL CBEZ

2058904



Product features

- MYRIAD IP65 SPOT 2700K Phase dimmable with silver reflector and chome bezel

PRODUCT OVERVIEW

IPC Code	2058904
Product name	MYRD IP ST 2.7K PHDM SIL CBEZ
Technology	LED
Housing	Aluminium
Mount	Ceiling recessed
Environment	Integral
General application	Hospitality,Office,Retail
Certifications	EUNEW008
ETIM Class	EC001744
Fixture luminous flux (lm)	1241
Luminaire efficacy (lm/W)	124
LOR (%)	100
Colour temperature (K)	2700
CRI (Ra)	85
Beam Angle (°)	28
Photobiological Risk Group	-
Total power consumption (W)	10
Electrical protection	Class II
Control gear type	Electronic
Minimum dimming level (%)	10
Average life (Nominal) (h)	50000
Housing colour	Silver Trim
IP rating	IP65
IK rating	IK02
Product EAN number	5025768589043
Lamps	Yes
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	2058904
Product name	MYRD IP ST 2.7K PHDM SIL CBEZ
Technology	LED

© Feilo Sylvania | Date Printed: 22 Nov 2018

Myriad V LED - IP65 Glass Chrome Bezel

MYRD IP ST 2.7K PHDM SIL CBEZ

2058904

Housing	Aluminium
Mount	Ceiling recessed
Environment	Integral
General application	Hospitality,Office,Retail
Operating temperature rated (°C)	25
Certifications	EUNEW008
ETIM Class	EC001744

Optical data

Fixture luminous flux (lm)	1241
Luminaire efficacy (lm/W)	124
LOR (%)	100
Colour temperature (K)	2700
CRI (Ra)	85
Adjustable chromaticity	N
Beam Angle (°)	28
Distribution type	Direct
Photobiological Risk Group	-

Electrical data

Total power consumption (W)	10
Mains voltage (V)	230-240V~
Electrical protection	Class II
Control gear type	Electronic
Transformer required	Yes
Minimum dimming level (%)	10
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	50000
Average life (Nominal) (h)	50000

Physical data

Housing colour	Silver Trim
IP rating	IP65
IK rating	IK02
Diffuser finish	Silver Trim Chrome Bezel
Reflector finish	Aluminium
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	90
Weight (kg)	0.44
Recessed Depth (mm)	72

Packaging

Single packaging type	Carton
Product EAN number	5025768589043
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5

© Feilo Sylvania | Date Printed: 22 Nov 2018


Myriad V LED - IP65 Glass Chrome Bezel


MYRD IP ST 2.7K PHDM SIL CBEZ

2058904


DUN14 (outer)	05025768589043
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5

PHOTOMETRY





TECHNICAL DRAWINGS





© Feilo Sylvania | Date Printed: 22 Nov 2018

Myriad V LED - IP65 Glass Chrome Bezel

MYRD IP ST 2.7K PHDM SIL CBEZ

2058904





© Feilo Sylvania | Date Printed: 22 Nov 2018