


## Myriad V LED - IP65 Glass Chrome Bezel

MYRD IP ST 4K DALIEM SIL CBEZ  
2058915



### Product features

- MYRD IP ST 4K DALIEM SIL CBEZ



### PRODUCT OVERVIEW

|                                |                               |
|--------------------------------|-------------------------------|
| IPC Code                       | 2058915                       |
| Product name                   | MYRD IP ST 4K DALIEM SIL CBEZ |
| Technology                     | LED                           |
| Housing                        | Aluminium                     |
| Mount                          | Ceiling recessed              |
| Environment                    | Integral                      |
| General application            | Hospitality, Office, Retail   |
| Certifications                 | EUNEW001                      |
| ETIM Class                     | EC001744                      |
| Fixture luminous flux (lm)     | 1132                          |
| Luminaire efficacy (lm/W)      | 94                            |
| LOR (%)                        | 100                           |
| Colour temperature (K)         | 4000                          |
| CRI (Ra)                       | 85                            |
| Beam Angle (°)                 | 28                            |
| Photobiological Risk Group     | -                             |
| Luminous flux (emergency) (lm) | 344                           |
| Total power consumption (W)    | 12                            |
| Electrical protection          | Class II                      |
| Control gear type              | Electronic                    |
| Minimum dimming level (%)      | 1                             |
| Average life (Nominal) (h)     | 50000                         |
| Housing colour                 | Silver Trim                   |
| IP rating                      | IP65                          |
| IK rating                      | IK02                          |
| Product EAN number             | 5025768589159                 |
| Luminous flux (emergency) (lm) | 344                           |
| Included lamp                  | INTEGRATED LED                |

### DATA TABLE

#### General data

|          |         |
|----------|---------|
| IPC Code | 2058915 |
|----------|---------|

## Myriad V LED - IP65 Glass Chrome Bezel

*MYRD IP ST 4K DALIEM SIL CBEZ*  
2058915

|                                  |                               |
|----------------------------------|-------------------------------|
| Product name                     | MYRD IP ST 4K DALIEM SIL CBEZ |
| Technology                       | LED                           |
| Housing                          | Aluminium                     |
| Mount                            | Ceiling recessed              |
| Environment                      | Integral                      |
| General application              | Hospitality,Office,Retail     |
| Operating temperature rated (°C) | 25                            |
| Certifications                   | EUNEW001                      |
| ETIM Class                       | EC001744                      |

### Optical data

|                                |        |
|--------------------------------|--------|
| Fixture luminous flux (lm)     | 1132   |
| Luminaire efficacy (lm/W)      | 94     |
| LOR (%)                        | 100    |
| Colour temperature (K)         | 4000   |
| CRI (Ra)                       | 85     |
| Adjustable chromaticity        | N      |
| Beam Angle (°)                 | 28     |
| Distribution type              | Direct |
| Photobiological Risk Group     | -      |
| Luminous flux (emergency) (lm) | 344    |
| Emergency duration (h)         | 3      |

### Electrical data

|                             |            |
|-----------------------------|------------|
| Total power consumption (W) | 12         |
| Mains voltage (V)           | 230-240V~  |
| Electrical protection       | Class II   |
| Control gear type           | Electronic |
| Transformer required        | Yes        |
| Minimum dimming level (%)   | 1          |
| Nominal Frequency (Hz)      | 50/60Hz    |

### Lifetime data

|                             |       |
|-----------------------------|-------|
| Lumen maintenance - L70 B50 | 50000 |
| Average life (Nominal) (h)  | 50000 |

### Physical data

|                               |                          |
|-------------------------------|--------------------------|
| Housing colour                | Silver Trim              |
| IP rating                     | IP65                     |
| IK rating                     | IK02                     |
| Diffuser finish               | Silver Trim Chrome Bezel |
| Reflector finish              | Aluminium                |
| Nominal Product Height (mm)   | 72                       |
| Nominal Product Diameter (mm) | 90                       |
| Weight (kg)                   | 1.44                     |
| Recessed Depth (mm)           | 72                       |





### Packaging

|                       |        |
|-----------------------|--------|
| Single packaging type | Carton |
|-----------------------|--------|


## Myriad V LED - IP65 Glass Chrome Bezel MYRD IP ST 4K DALIEM SIL CBEZ 2058915

|                                       |                |
|---------------------------------------|----------------|
| Product EAN number                    | 5025768589159  |
| Packaging single length / height (cm) | 17.5           |
| Packaging single width (cm)           | 15.0           |
| Packaging single depth (cm)           | 17.5           |
| DUN14 (outer)                         | 05025768589159 |
| Units per outer package               | 1              |
| Packaging outer length / height (cm)  | 17.5           |
| Packaging outer width (cm)            | 15.0           |
| Packaging outer depth (cm)            | 17.5           |

### PHOTOMETRY



### TECHNICAL DRAWINGS



## Myriad V LED - IP65 Glass Chrome Bezel MYRD IP ST 4K DALIEM SIL CBEZ 2058915

**Concord** 2058915

 This luminaire contains built in LED lamps.

 } **LED**

The lamps cannot be changed in the luminaire.

874/2012 

 This luminaire contains built in LED lamps.

 } **LED**

The lamps cannot be changed in the luminaire.

**Concord** 2058915  874/2012