

Myriad V LED - IP65 Glass Chrome Bezel

MYRD IP FL 2.7K PHDMEM SIL CBEZ

2058918



Product features

- MYRIAD IP65 FLOOD 2700K Phase dimmable with silver reflector, chrome bezel and 3 hour emergency



PRODUCT OVERVIEW

IPC Code	2058918
Product name	MYRD IP FL 2.7K PHDMEM SIL CBEZ
Technology	LED
Housing	Aluminium
Mount	Ceiling recessed
Environment	Integral
General application	Hospitality, Office, Retail
Certifications	EUNEW001
ETIM Class	EC001744
Fixture luminous flux (lm)	1128
Luminaire efficacy (lm/W)	94
LOR (%)	100
Colour temperature (K)	2700
CRI (Ra)	85
Beam Angle (°)	46
Photobiological Risk Group	-
Luminous flux (emergency) (lm)	307
Total power consumption (W)	12
Electrical protection	Class II
Control gear type	Electronic
Minimum dimming level (%)	10
Average life (Nominal) (h)	50000
Housing colour	Silver Trim
IP rating	IP65
IK rating	IK02
Product EAN number	5025768589180
Lamps	Yes
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	2058918
----------	---------

Myriad V LED - IP65 Glass Chrome Bezel

MYRD IP FL 2.7K PHDMEM SIL CBEZ

2058918

Product name	MYRD IP FL 2.7K PHDMEM SIL CBEZ
Technology	LED
Housing	Aluminium
Mount	Ceiling recessed
Environment	Integral
General application	Hospitality,Office,Retail
Operating temperature rated (°C)	25
Certifications	EUNEW001
ETIM Class	EC001744

Optical data

Fixture luminous flux (lm)	1128
Luminaire efficacy (lm/W)	94
LOR (%)	100
Colour temperature (K)	2700
CRI (Ra)	85
Adjustable chromaticity	N
Beam Angle (°)	46
Distribution type	Direct
Photobiological Risk Group	-
Luminous flux (emergency) (lm)	307
Emergency duration (h)	3

Electrical data

Total power consumption (W)	12
Mains voltage (V)	230-240V~
Electrical protection	Class II
Control gear type	Electronic
Transformer required	Yes
Minimum dimming level (%)	10
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	50000
Average life (Nominal) (h)	50000

Physical data

Housing colour	Silver Trim
IP rating	IP65
IK rating	IK02
Diffuser finish	Silver Trim Chrome Bezel
Reflector finish	Aluminium
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	90
Weight (kg)	1.44
Recessed Depth (mm)	72

Packaging



Single packaging type	Carton
-----------------------	--------

Myriad V LED - IP65 Glass Chrome Bezel


MYRD IP FL 2.7K PHDMEM SIL CBEZ
2058918

Product EAN number	5025768589180
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (outer)	05025768589180
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5

PHOTOMETRY



TECHNICAL DRAWINGS



Myriad V LED - IP65 Glass Chrome Bezel

MYRD IP FL 2.7K PHDMEM SIL CBEZ
2058918

