

## Myriad V LED - IP65 Glass Chrome Bezel

MYRD IP FL 4K PHDM BLK CBEZ  
2058972



### Product features

- MYRD IP FL 4K PHDM BLK CBEZ



### PRODUCT OVERVIEW

IPC Code	2058972
Product name	MYRD IP FL 4K PHDM BLK CBEZ
Technology	LED
Housing	Aluminium
Mount	Ceiling recessed
Environment	Integral
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001744
Fixture luminous flux (lm)	977
Luminaire efficacy (lm/W)	98
LOR (%)	100
Colour temperature (K)	4000
CRI (Ra)	85
Beam Angle (°)	46
Photobiological Risk Group	-
Total power consumption (W)	10
Electrical protection	Class II
Control gear type	Electronic
Minimum dimming level (%)	10
Average life (Nominal) (h)	50000
Housing colour	Black Trim
IP rating	IP65
IK rating	IK02
Product EAN number	5025768589722
Included lamp	INTEGRATED LED

### DATA TABLE

#### General data

IPC Code	2058972
Product name	MYRD IP FL 4K PHDM BLK CBEZ
Technology	LED
Housing	Aluminium

## Myriad V LED - IP65 Glass Chrome Bezel

*MYRD IP FL 4K PHDM BLK CBEZ*  
2058972

<b>Mount</b>	Ceiling recessed
<b>Environment</b>	Integral
<b>General application</b>	Hospitality,Office,Retail,Residential & Consumer
<b>Operating temperature rated (°C)</b>	25
<b>Certifications</b>	EUNEW008
<b>ETIM Class</b>	EC001744

### Optical data

<b>Fixture luminous flux (lm)</b>	977
<b>Luminaire efficacy (lm/W)</b>	98
<b>LOR (%)</b>	100
<b>Colour temperature (K)</b>	4000
<b>CRI (Ra)</b>	85
<b>Adjustable chromaticity</b>	N
<b>Beam Angle (°)</b>	46
<b>Distribution type</b>	Direct
<b>Photobiological Risk Group</b>	-

### Electrical data

<b>Total power consumption (W)</b>	10
<b>Mains voltage (V)</b>	230-240V~
<b>Electrical protection</b>	Class II
<b>Control gear type</b>	Electronic
<b>Transformer required</b>	Yes
<b>Minimum dimming level (%)</b>	10
<b>Nominal Frequency (Hz)</b>	50/60Hz

### Lifetime data

<b>Lumen maintenance - L70 B50</b>	50000
<b>Average life (Nominal) (h)</b>	50000

### Physical data

<b>Housing colour</b>	Black Trim
<b>IP rating</b>	IP65
<b>IK rating</b>	IK02
<b>Diffuser finish</b>	Black Trim Chrome Bezel
<b>Reflector finish</b>	Aluminium
<b>Nominal Product Height (mm)</b>	72
<b>Nominal Product Diameter (mm)</b>	90
<b>Weight (kg)</b>	0.44
<b>Recessed Depth (mm)</b>	72

### Packaging

<b>Single packaging type</b>	Carton
<b>Product EAN number</b>	5025768589722
<b>Packaging single length / height (cm)</b>	17.5
<b>Packaging single width (cm)</b>	15.0
<b>Packaging single depth (cm)</b>	17.5
<b>DUN14 (outer)</b>	05025768589722

## Myriad V LED - IP65 Glass Chrome Bezel MYRD IP FL 4K PHDM BLK CBEZ 2058972


Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5

### PHOTOMETRY


0.5	0.32	E(0°) E(C0)	17.5°	8388 3641
1.0	0.63	E(0°) E(C0)	17.5°	2096 910
1.5	0.95	E(0°) E(C0)	17.5°	932 405
2.0	1.27	E(0°) E(C0)	17.5°	524 228
2.5	1.59	E(0°) E(C0)	17.5°	335 146
3.0	1.90	E(0°) E(C0)	17.5°	233 101

Distance [m]      Cone diameter [m]      Illuminance [lx]

— C0 - C180 (Half beam angle: 35.2°)





### TECHNICAL DRAWINGS




Myriad V LED - IP65 Glass Chrome Bezel  
MYRD IP FL 4K PHDM BLK CBEZ  
2058972


**Concord** 2058972


 This luminaire contains built in LED lamps.




The lamps cannot be changed in the luminaire.

874/2012 

 This luminaire contains built in LED lamps.



The lamps cannot be changed in the luminaire.

**Concord** 2058972  874/2012