

START eco Panel Flat UGR19

START eco Panel Flat UGR19 600x600 3000lm 830

0048358



Product features

- Competitive, edge lit LED flat low glare panel (UGR<19). Low Flicker, 30 W, Warm White, 3000 K, 3000 lumens, 100 lm/W, 30000 hours lifetime (L70), PMMA opal diffuser, aluminium frame, steel body, electronic non dimmable driver. (HxWxD) 8.5 x 595 x 595 mm



PRODUCT OVERVIEW

IPC Code	0048358
Product name	START eco Panel Flat UGR19 600x600 3000lm 830
Technology	LED
General application	Office, Education,
Certifications	EUNEW008
ETIM Class	EC002892
Fixture luminous flux (lm)	2915
Luminaire efficacy (lm/W)	97
Colour temperature (K)	3000
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Glare control	19
Photobiological Risk Group	0
Total power consumption (W)	30
Electrical protection	Class II
LED Flickering Rate	Ultra low (5% or less)
IP rating	IP40/20
IK rating	IK03
Product EAN number	5410288483580
Lamps	Yes

DATA TABLE

General data

IPC Code	0048358
Product name	START eco Panel Flat UGR19 600x600 3000lm 830
Technology	LED
General application	Office, Education,
Certifications	EUNEW008
ETIM Class	EC002892

Optical data

Fixture luminous flux (lm)	2915
Luminaire efficacy (lm/W)	97

START eco Panel Flat UGR19

START eco Panel Flat UGR19 600x600 3000lm 830

0048358

Colour temperature (K)	3000
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Glare control	19
Photobiological Risk Group	0

Electrical data

Total power consumption (W)	30
Mains voltage (V)	220-240V~
Electrical protection	Class II
Drive current (mA)	900
Inrush Current (A)	14
Inrush Duration (µs)	300
Nominal Frequency (Hz)	50/60Hz
LED Flickering Rate	Ultra low (5% or less)

Lifetime data

Lumen maintenance - L70 B50	30000
-----------------------------	-------

Physical data


IP rating	IP40/20
IK rating	IK03
Nominal Product Length (mm)	595
Nominal Product Width (mm)	595
Nominal Product Height (mm)	8.5
Weight (kg)	2.5

Packaging


Single packaging type	Carton
Product EAN number	5410288483580
Packaging single length / height (cm)	68.0
Packaging single width (cm)	62.5
Packaging single depth (cm)	3.8
DUN14 (outer)	15410288483587
Units per outer package	52
Packaging outer length / height (cm)	131.5
Packaging outer width (cm)	71.5
Packaging outer depth (cm)	108.0

PHOTOMETRY

START eco Panel Flat UGR19
START eco Panel Flat UGR19 600x600 3000lm 830
0048358



TECHNICAL DRAWINGS



START eco Panel Flat UGR19

START eco Panel Flat UGR19 600x600 3000lm 830

0048358

SYLVANIA 0048358

 This luminaire contains built in LED lamps.


 } L
E
D

The lamps cannot be changed in the luminaire.

874/2012 

 This luminaire contains built in LED lamps.


 } L
E
D

The lamps cannot be changed in the luminaire.

SYLVANIA 0048358  874/2012