

Start Panel LED DALI

START PANEL HO 625 3000K DALI G4

0047794



Product features

- LED back-lit recessed IP44 panel, 3000K Warm White, 4500lm delivered from 36W, 125lm/W total system efficiency, energy efficient external DALI dimmable tridonic driver, even distribution of light throughout fixture, long lifetime of 50,000 hours (L70), size (HxWxD) 620x620x65mm.



PRODUCT OVERVIEW

IPC Code	0047794
Product name	START PANEL HO 625 3000K DALI G4
Technology	LED
Housing	Steel
Mount	Recessed
General application	Office,Hospitality,Retail,Education,
Certifications	EUNEW008
ETIM Class	EC002892
Fixture luminous flux (lm)	4500
Luminaire efficacy (lm/W)	120
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Glare control	<25
Photobiological Risk Group	RG1
Total power consumption (W)	36
Electrical protection	Class II
Housing colour	White RAL9016
IP rating	IP44
IK rating	IK03
Product EAN number	5410288477947
Lamps	Yes

DATA TABLE

General data

IPC Code	0047794
Product name	START PANEL HO 625 3000K DALI G4
Technology	LED
Housing	Steel
Mount	Recessed
General application	Office,Hospitality,Retail,Education,
Certifications	EUNEW008
ETIM Class	EC002892

Start Panel LED DALI

START PANEL HO 625 3000K DALI G4

0047794

Optical data

Fixture luminous flux (lm)	4500
Luminaire efficacy (lm/W)	120
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Beam angle (Rated) (°)	107
Glare control	<25
Photobiological Risk Group	RG1

Electrical data

Total power consumption (W)	36
Mains voltage (V)	220-240V~
Lamp power factor	0.96
Electrical protection	Class II
Drive current (mA)	150
Inrush Current (A)	25
Inrush Duration (µs)	177
Nominal Frequency (Hz)	50/60Hz
Max. Luminaires per 10A C Breaker	38
Max. Luminaires per 13A C Breaker	48
Max. Luminaires per 16A C Breaker	60
Max. Luminaires per 20A C Breaker	75

Lifetime data

Lumen maintenance - L70 B50	50000
-----------------------------	-------

Physical data


Housing colour	White RAL9016
IP rating	IP44
IK rating	IK03
Nominal Product Length (mm)	620
Nominal Product Width (mm)	620
Nominal Product Height (mm)	63
Weight (kg)	2.83

Packaging


Single packaging type	Carton
Product EAN number	5410288477947
Packaging single length / height (cm)	64.1
Packaging single width (cm)	65.0
Packaging single depth (cm)	8.5
DUN14 (outer)	05410288477947
Units per outer package	1
Packaging outer length / height (cm)	64.1
Packaging outer width (cm)	65.0
Packaging outer depth (cm)	8.5

Start Panel LED DALI
START PANEL HO 625 3000K DALI G4
0047794

PHOTOMETRY



TECHNICAL DRAWINGS



Start Panel LED DALI START PANEL HO 625 3000K DALI G4 0047794

SYLVANIA 0047794

 This luminaire contains built in LED lamps.


 } L
E
D

The lamps cannot be changed in the luminaire.

874/2012 

 This luminaire contains built in LED lamps.


 } L
E
D

The lamps cannot be changed in the luminaire.

SYLVANIA 0047794  874/2012