

Myriad V Solid State Pendant - Silver - Remote Gear

MYRIAD PENDANT 2700K REMOTE PHDIM SIL
2058976



Product features

- High-end architectural (2700K) amber white LED pendant with Phase dimmable driver and remote gear housing, finished in a silver finish (RAL9006)



PRODUCT OVERVIEW

IPC Code	2058976
Product name	MYRIAD PENDANT 2700K REMOTE PHDIM SIL
Technology	LED
Mount	Ceiling pendant
Environment	Interior
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001743
Fixture luminous flux (lm)	975
Luminaire efficacy (lm/W)	97.5
LOR (%)	100
Colour temperature (K)	2700
CRI (Ra)	80
Beam Angle (°)	30
Photobiological Risk Group	-
Total power consumption (W)	10

Myriad V Solid State Pendant - Silver - Remote Gear

MYRIAD PENDANT 2700K REMOTE PHDIM SIL

2058976

Electrical protection	Class I
Control gear mounting	Remote
Dimmable	Yes
Housing colour	Silver
IP rating	IP20
IK rating	IK02
Product EAN number	5025768589760
Lamps	No
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	2058976
Product name	MYRIAD PENDANT 2700K REMOTE PHDIM SIL
Technology	LED
Mount	Ceiling pendant
Environment	Interior
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001743

Optical data

Fixture luminous flux (lm)	975
Luminaire efficacy (lm/W)	97.5
LOR (%)	100
Colour temperature (K)	2700
CRI (Ra)	80
Adjustable chromaticity	N
Beam Angle (°)	30
Distribution type	Direct symmetrical
Photobiological Risk Group	-

Electrical data

Total power consumption (W)	10
Mains voltage (V)	220-240V~
Electrical protection	Class I
Control gear mounting	Remote
Transformer required	Yes
Dimmable	Yes
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	50000
-----------------------------	-------

Physical data

Housing colour	Silver
IP rating	IP20

Myriad V Solid State Pendant - Silver - Remote Gear

MYRIAD PENDANT 2700K REMOTE PHDIM SIL

2058976


IK rating	IK02
Nominal Product Width (mm)	75
Nominal Product Height (mm)	129
Max. Lamp Diameter (mm) - D	75
Weight (kg)	0.45

Packaging

Single packaging type	Carton
Product EAN number	5025768589760
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (outer)	05025768589760
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5

PHOTOMETRY

TECHNICAL DRAWINGS



Myriad V Solid State Pendant - Silver - Remote Gear MYRIAD PENDANT 2700K REMOTE PHDIM SIL 2058976

