

Myriad V Solid State Pendant - White - Remote Gear


MYRIAD PENDANT 3000K REMOTE DALI WHT

2049591



Product features

- High-end architectural (3000K) warm white LED pendant with DALI driver and remote gear housing, finished in a white finish (RAL9016)



PRODUCT OVERVIEW

IPC Code	2049591
Product name	MYRIAD PENDANT 3000K REMOTE DALI WHT
Technology	LED
Mount	Ceiling pendant
Environment	Interior
General application	Hospitality, Office, Retail, Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001743
Fixture luminous flux (lm)	1114
Luminaire efficacy (lm/W)	111.4
LOR (%)	100
Colour temperature (K)	3000
CRI (Ra)	80
Beam Angle (°)	30
Photobiological Risk Group	-
Total power consumption (W)	10
Electrical protection	Class II

Myriad V Solid State Pendant - White - Remote Gear

MYRIAD PENDANT 3000K REMOTE DALI WHT

2049591

Control gear mounting	Remote
Dimmable	Yes
Housing colour	White
IP rating	IP20
IK rating	IK02
Product EAN number	5025768495917
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	2049591
Product name	MYRIAD PENDANT 3000K REMOTE DALI WHT
Technology	LED
Mount	Ceiling pendant
Environment	Interior
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001743

Optical data

Fixture luminous flux (lm)	1114
Luminaire efficacy (lm/W)	111.4
LOR (%)	100
Colour temperature (K)	3000
CRI (Ra)	80
Adjustable chromaticity	N
Beam Angle (°)	30
Distribution type	Direct symmetrical
Photobiological Risk Group	-

Electrical data

Total power consumption (W)	10
Mains voltage (V)	220-240V~
Electrical protection	Class II
Control gear mounting	Remote
Dimmable	Yes
Drive current (mA)	250
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	50000
-----------------------------	-------

Physical data

Housing colour	White
IP rating	IP20
IK rating	IK02
Nominal Product Length (mm)	75

Myriad V Solid State Pendant - White - Remote Gear


MYRIAD PENDANT 3000K REMOTE DALI WHT
2049591

Nominal Product Width (mm)	75
Nominal Product Height (mm)	129
Nominal Product Diameter (mm)	75
Max. Lamp Diameter (mm) - D	75
Weight (kg)	0.45

Packaging

Single packaging type	Carton
Product EAN number	5025768495917
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5


PHOTOMETRY



Distance [m]	Cone diameter [m]	E (0°) [lx]	E (C0) [lx]	E (C90) [lx]
0.5	0.33	7241	1810	3101
1.0	0.67	1810	452	775
1.5	1.00	805	305	345
2.0	1.34	483	181	194
2.5	1.67	290	134	154
3.0	2.01	201	98	111

Distance [m] Cone diameter [m] Illuminance [lx]
C0 - C180 (Half beam angle: 37.0°)

TECHNICAL DRAWINGS



Myriad V Solid State Pendant - White - Remote Gear *MYRIAD PENDANT 3000K REMOTE DALI WHT* 2049591

