

Myriad V Solid State Pendant - Silver - Surface Mounted

MYRIAD PENDANT 3000K SURFACE EB SIL

2050682



Product features

- High-end architectural (3000K) warm white LED pendant with non dimmable driver and surface mounted housing, finished in a silver finish (RAL9006)



PRODUCT OVERVIEW

IPC Code	2050682
Product name	MYRIAD PENDANT 3000K SURFACE EB SIL
Technology	LED
Mount	Ceiling pendant
Environment	Interior
General application	Hospitality, Office, Retail, Residential & Consumer
Certifications	EUNEW009
ETIM Class	EC001743
E-number FI	4275460
E-number SE	7561410
E-number Norway	3290200
Fixture luminous flux (lm)	1114
Luminaire efficacy (lm/W)	111.4
LOR (%)	100
Colour temperature (K)	3000
CRI (Ra)	80
Beam Angle (°)	30
Photobiological Risk Group	-
Total power consumption (W)	10
Electrical protection	Class II
Control gear mounting	Integral
Dimmable	No
Housing colour	Silver
IP rating	IP20
IK rating	IK02
Product EAN number	5025768506828
Included lamp	INTEGRATED LED

DATA TABLE

General data

Myriad V Solid State Pendant - Silver - Surface Mounted

MYRIAD PENDANT 3000K SURFACE EB SIL

2050682

IPC Code	2050682
Product name	MYRIAD PENDANT 3000K SURFACE EB SIL
Technology	LED
Mount	Ceiling pendant
Environment	Interior
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW009
ETIM Class	EC001743
E-number FI	4275460
E-number SE	7561410
E-number Norway	3290200

Optical data

Fixture luminous flux (lm)	1114
Luminaire efficacy (lm/W)	111.4
LOR (%)	100
Colour temperature (K)	3000
CRI (Ra)	80
Adjustable chromaticity	N
Beam Angle (°)	30
Distribution type	Direct symmetrical
Photobiological Risk Group	-

Electrical data

Total power consumption (W)	10
Mains voltage (V)	220-240V~
Electrical protection	Class II
Control gear mounting	Integral
Dimmable	No
Drive current (mA)	250
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	50000
-----------------------------	-------

Physical data

Housing colour	Silver
IP rating	IP20
IK rating	IK02
Nominal Product Length (mm)	75
Nominal Product Width (mm)	75
Nominal Product Height (mm)	129
Nominal Product Diameter (mm)	75
Max. Lamp Diameter (mm) - D	75
Weight (kg)	0.95

Packaging



Single packaging type	Carton
Product EAN number	5025768506828

Myriad V Solid State Pendant - Silver - Surface Mounted


MYRIAD PENDANT 3000K SURFACE EB SIL
2050682

Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5

PHOTOMETRY



TECHNICAL DRAWINGS



Myriad V Solid State Pendant - Silver - Surface Mounted

MYRIAD PENDANT 3000K SURFACE EB SIL
2050682

