

Myriad V Solid State Pendant - White - Surface Mounted

Dimmable

2049551



Product features

- Myriad pendant fixture dimmable white finish with surface mounted driver housing.



PRODUCT OVERVIEW

IPC Code	2049551
Product name	Dimmable
Technology	LED
Mount	Ceiling pendant
Environment	Interior
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW009
ETIM Class	EC001743
E-number SE	7561419
E-number Norway	3290214
Fixture luminous flux (lm)	1093
Luminaire efficacy (lm/W)	109.3
LOR (%)	100
Colour temperature (K)	4000
CRI (Ra)	80
Beam Angle (°)	30
Photobiological Risk Group	-
Total power consumption (W)	10
Electrical protection	Class II
Control gear mounting	Integral
Dimmable	Yes
Housing colour	White
IP rating	IP20
IK rating	IK02
Product EAN number	5025768495511
Lamps	No
Included lamp	INTEGRATED LED

Myriad V Solid State Pendant - White - Surface Mounted

Dimmable

2049551

DATA TABLE

General data

IPC Code	2049551
Product name	Dimmable
Technology	LED
Mount	Ceiling pendant
Environment	Interior
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW009
ETIM Class	EC001743
E-number SE	7561419
E-number Norway	3290214

Optical data

Fixture luminous flux (lm)	1093
Luminaire efficacy (lm/W)	109.3
LOR (%)	100
Colour temperature (K)	4000
CRI (Ra)	80
Adjustable chromaticity	N
Beam Angle (°)	30
Distribution type	Direct symmetrical
Photobiological Risk Group	-

Electrical data

Total power consumption (W)	10
Mains voltage (V)	220-240V~
Electrical protection	Class II
Control gear mounting	Integral
Dimmable	Yes
Drive current (mA)	250
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	50000
-----------------------------	-------

Physical data

Housing colour	White
IP rating	IP20
IK rating	IK02
Nominal Product Width (mm)	75
Nominal Product Height (mm)	129
Max. Lamp Diameter (mm) - D	75
Weight (kg)	0.95

Packaging


Myriad V Solid State Pendant - White - Surface Mounted

Dimmable

2049551

Single packaging type	Carton
Product EAN number	5025768495511
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5


PHOTOMETRY



0.5	0.36	E(0°) E(C0)	19.6°	5587 2751
1.0	0.71	E(0°) E(C0)	19.6°	1642 650
1.5	1.07	E(0°) E(C0)	19.6°	730 306
2.0	1.42	E(0°) E(C0)	19.6°	410 172
2.5	1.78	E(0°) E(C0)	19.6°	263 110
3.0	2.14	E(0°) E(C0)	19.6°	182 78

Distance [m] Cone diameter [m] Illuminance [lx]
C0 - C180 (Half beam angle: 39.2°)

TECHNICAL DRAWINGS



Myriad V Solid State Pendant - White - Surface Mounted

Dimmable
2049551

