


Myriad V Solid State Pendant - White - Surface Mounted

MYRIAD PENDANT 4000K SURFACE DALI WHT
2049557



Product features

- High-end architectural (4000K) neutral white LED pendant with DALI driver and surface mounted housing, finished in a white finish (RAL9016)



PRODUCT OVERVIEW

IPC Code	2049557
Product name	MYRIAD PENDANT 4000K SURFACE DALI WHT
Technology	LED
Mount	Ceiling pendant
Environment	Interior
General application	Hospitality, Office, Retail, Residential & Consumer
Certifications	EUNEW009
ETIM Class	EC001743
E-number SE	7561421
E-number Norway	3290217
Fixture luminous flux (lm)	1093
Luminaire efficacy (lm/W)	109.3
LOR (%)	100
Colour temperature (K)	4000
CRI (Ra)	80
Beam Angle (°)	30
Photobiological Risk Group	-
Total power consumption (W)	10
Electrical protection	Class II
Control gear mounting	Integral
Dimmable	Yes
Housing colour	White
IP rating	IP20
IK rating	IK02
Product EAN number	5025768495573
Included lamp	INTEGRATED LED

Myriad V Solid State Pendant - White - Surface Mounted

MYRIAD PENDANT 4000K SURFACE DALI WHT
2049557

DATA TABLE

General data

IPC Code	2049557
Product name	MYRIAD PENDANT 4000K SURFACE DALI WHT
Technology	LED
Mount	Ceiling pendant
Environment	Interior
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW009
ETIM Class	EC001743
E-number SE	7561421
E-number Norway	3290217

Optical data

Fixture luminous flux (lm)	1093
Luminaire efficacy (lm/W)	109.3
LOR (%)	100
Colour temperature (K)	4000
CRI (Ra)	80
Adjustable chromaticity	N
Beam Angle (°)	30
Distribution type	Direct symmetrical
Photobiological Risk Group	-

Electrical data

Total power consumption (W)	10
Mains voltage (V)	220-240V~
Electrical protection	Class II
Control gear mounting	Integral
Dimmable	Yes
Drive current (mA)	250
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	50000
-----------------------------	-------

Physical data

Housing colour	White
IP rating	IP20
IK rating	IK02
Nominal Product Length (mm)	75
Nominal Product Width (mm)	75
Nominal Product Height (mm)	129
Nominal Product Diameter (mm)	75
Max. Lamp Diameter (mm) - D	75
Weight (kg)	0.95


Myriad V Solid State Pendant - White - Surface Mounted

MYRIAD PENDANT 4000K SURFACE DALI WHT
2049557

Packaging

Single packaging type	Carton
Product EAN number	5025768495573
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5


PHOTOMETRY



0.5	0.36	E(0°) E(C0)	19.8°	698 275
1.0	0.71	E(0°) E(C0)	19.8°	1642 608
1.5	1.07	E(0°) E(C0)	19.8°	730 306
2.0	1.42	E(0°) E(C0)	19.8°	410 172
2.5	1.78	E(0°) E(C0)	19.8°	263 110
3.0	2.14	E(0°) E(C0)	19.8°	182 78

Distance [m] Cone diameter [m] Illuminance [lx]
C0 - C180 (Half beam angle: 39.2°)

TECHNICAL DRAWINGS



Myriad V Solid State Pendant - White - Surface Mounted

MYRIAD PENDANT 4000K SURFACE DALI WHT
2049557

Concord 2049557

 This luminaire contains built in LED lamps.


 } LED

The lamps cannot be changed in the luminaire.

874/2012 

 This luminaire contains built in LED lamps.


 } LED

The lamps cannot be changed in the luminaire.

Concord 2049557  874/2012