

Myriad V Solid State Pendant - Black - Remote Gear

MYRIAD PENDANT 3000K REMOTE DALI BLK

2049600



Product features

- High-end architectural (3000K) warm white LED pendant with DALI driver and remote gear housing, finished in a black finish (RAL9005)



PRODUCT OVERVIEW

IPC Code	2049600
Product name	MYRIAD PENDANT 3000K REMOTE DALI BLK
Technology	LED
Mount	Ceiling pendant
Environment	Interior
General application	Hospitality, Office, Retail, Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001743
Fixture luminous flux (lm)	1114
Luminaire efficacy (lm/W)	111.4
LOR (%)	100
Colour temperature (K)	3000
CRI (Ra)	80
Beam Angle (°)	30
Photobiological Risk Group	-
Total power consumption (W)	10
Electrical protection	Class II

Myriad V Solid State Pendant - Black - Remote Gear

MYRIAD PENDANT 3000K REMOTE DALI BLK
2049600

Control gear mounting	Remote
Dimmable	Yes
Housing colour	Black
IP rating	IP20
IK rating	IK02
Product EAN number	5025768496006
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	2049600
Product name	MYRIAD PENDANT 3000K REMOTE DALI BLK
Technology	LED
Mount	Ceiling pendant
Environment	Interior
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001743

Optical data

Fixture luminous flux (lm)	1114
Luminaire efficacy (lm/W)	111.4
LOR (%)	100
Colour temperature (K)	3000
CRI (Ra)	80
Adjustable chromaticity	N
Beam Angle (°)	30
Distribution type	Direct symmetrical
Photobiological Risk Group	-

Electrical data

Total power consumption (W)	10
Mains voltage (V)	220-240V~
Electrical protection	Class II
Control gear mounting	Remote
Transformer required	Yes
Dimmable	Yes
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	50000
-----------------------------	-------

Physical data

Housing colour	Black
IP rating	IP20
IK rating	IK02
Nominal Product Width (mm)	75

Myriad V Solid State Pendant - Black - Remote Gear


MYRIAD PENDANT 3000K REMOTE DALI BLK
2049600

Nominal Product Height (mm)	129
Max. Lamp Diameter (mm) - D	75
Weight (kg)	0.45

Packaging

Single packaging type	Carton
Product EAN number	5025768496006
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (outer)	05025768496006
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5


PHOTOMETRY



Distance [m]	Cone diameter [m]	E (0°) E (C0)	E (0°) E (C0)
0.5	0.33	7241	3101
1.0	0.67	1810	775
1.5	1.00	805	345
2.0	1.34	483	194
2.5	1.67	290	124
3.0	2.01	201	88

Distance [m] Cone diameter [m]
C0 - C180 (Half beam angle: 37.0°) Illuminance [lx]

TECHNICAL DRAWINGS



Myriad V Solid State Pendant - Black - Remote Gear MYRIAD PENDANT 3000K REMOTE DALI BLK 2049600

