RouteLED

ROUTELED 3W OPEN AREA WHT DALI

9154043



Product features

- Stand alone emergency luminare downlight with DALI. Includes Open Area lens, DALI module (inverter) with 4.8v 3ah C Cell Ni-Cad batteries. 24hr recharge time. 3.5V discharge voltage. 700mA output current. 150mA Charge current. Module size is 164x35x28mm - battery size is 27x285mm (Type 8). Module weight 100gm/battery weight 250gm.

PRODUCT OVERVIEW

IPC Code	9154043
Product name	ROUTELED 3W OPEN AREA WHT DALI
Technology	LED
Housing	Polycarbonate
Mount	Ceiling recessed
Environment	Internal
General application	Education,Hospitality,Office,Retail
Certifications	EUNEW001
ETIM Class	EC001957
E-number SE	7340461
Fixture luminous flux (lm)	207
Colour temperature (K)	6000
Light colour	Daylight
CRI (Ra)	72
Beam Angle (°)	110
Total power consumption (W)	3
Housing colour	White
IP rating	IP20
Lamps	No
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	9154043
Product name	ROUTELED 3W OPEN AREA WHT DALI
Technology	LED
Housing	Polycarbonate
Mount	Ceiling recessed
Environment	Internal
General application	Education,Hospitality,Office,Retail
Certifications	EUNEW001
ETIM Class	EC001957

© Feilo Sylvania | Date Printed: 13 Dec 2018

RouteLED

ROUTELED 3W OPEN AREA WHT DALI

9154043

E-number SE	7340461

Optical data

Fixture luminous flux (lm)	207
Colour temperature (K)	6000
Light colour	Daylight
CRI (Ra)	72
Adjustable chromaticity	N
Beam Angle (°)	110
Emergency duration (h)	3

Electrical data

Total power consumption (W)	3
Drive current (mA)	700

Physical data


Housing colour	White
IP rating	IP20
Weight (kg)	1.1
Recessed Depth (mm)	40


Packaging

Single packaging type	Carton
Packaging single length / height (cm)	20.0
Packaging single width (cm)	20.0
Packaging single depth (cm)	5.0
Units per outer package	1
Packaging outer length / height (cm)	20.0
Packaging outer width (cm)	20.0
Packaging outer depth (cm)	5.0

PHOTOMETRY

TECHNICAL DRAWINGS







© Feilo Sylvania | Date Printed: 13 Dec 2018

RouteLED

ROUTELED 3W OPEN AREA WHT DALI

9154043





© Feilo Sylvania | Date Printed: 13 Dec 2018