

## ToLEDo Stick

TOLEDO STICK 1055LM 827 E27 SL

0029925



### Product features

- A bright, all-around lighting solution for living rooms, wall lights, ceiling lights, compact and decorative luminaires • Quick and easy replacement of 75W incandescent lamp • 15,000H average rated life - last 15X longer than incandescent/halogen lamps • 85% energy savings compared to incandescent • Last 50% longer and consume 45% less energy compared to compact fluorescent integrated lamps • A+ energy rating - up to 96 lm/W • Omni-directional light distribution • Non-dimmable



## PRODUCT OVERVIEW

IPC Code	0029925
Product name	TOLEDO STICK 1055LM 827 E27 SL
Technology	LED
Watt (Rated) (W)	11
Cap/Base	E27
Fixture rating	Open
General application	Hospitality, Residential & Consumer
Certifications	EUTIE103
ETIM Class	EC001959
E-number FI	4740646
Luminous flux (lm)	1055
Colour temperature (K)	2700
Light colour	Homelight
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Colour Consistency (SDCM)	6
Beam Angle (°)	240
Wattage (W)	11
Product Voltage (V)	230
Average life (Nominal) (h)	15000
Product EAN number	5410288299259

## DATA TABLE

### General data

IPC Code	0029925
Product name	TOLEDO STICK 1055LM 827 E27 SL
Technology	LED
Watt (Rated) (W)	11
Cap/Base	E27
Fixture rating	Open
General application	Hospitality, Residential & Consumer
Operating temperature rated (°C)	25
Certifications	EUTIE103

## ToLEDo Stick

TOLEDO STICK 1055LM 827 E27 SL

0029925

ETIM Class	EC001959
E-number FI	4740646

### Optical data

Luminous flux (lm)	1055
Luminous flux (Rated) (lm)	1055
Colour temperature (K)	2700
Light colour	Homelight
Colour Code	827
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Colour Consistency (SDCM)	6
Beam Angle (°)	240
Beam angle (Rated) (°)	240
Lumen maintenance at end of nominal life (%)	70

### Electrical data

Wattage (W)	11
Starting time (max) (s)	0.5
Warm-up time to 60% of full light (max) (s)	1
Mains voltage (V)	220-240V~
Product Voltage (V)	230
Lamp power factor	0.5
No. Of switching cycles before premature failures	50000
Lamp Energy Label (class)	A+
kWh per 1000 hours burning time	11
Nominal Frequency (Hz)	50/60Hz

### Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

### Physical data

Nominal Product Length (mm)	133
Nominal Product Diameter (mm)	45
Weight (kg)	0.07

### Packaging

Single packaging type	Carton
Product EAN number	5410288299259
Packaging single length / height (cm)	13.7
Packaging single width (cm)	4.7
Packaging single depth (cm)	4.7
DUN14 (inner)	25410288299253
Units per inner package	10
Packaging inner length / height (cm)	25.0
Packaging inner width (cm)	10.5

## ToLEDo Stick

TOLEDO STICK 1055LM 827 E27 SL

0029925

Packaging inner depth (cm)	15.5
DUN14 (outer)	15410288299256
Units per outer package	60
Packaging outer length / height (cm)	34.0
Packaging outer width (cm)	26.5
Packaging outer depth (cm)	34.0

### Safety data

Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	Yes
Suitable for household illumination	Yes
Safety message	Not Suitable for totally enclosed fixtures

