

ToLEDo Vintage ST64

TOLEDO™ VINTAGE ST64 250LM 820 E27 SL

0027980



Product features

- New and innovative Flexible Filament Chip Technology (FFCT) designed to create the low-lit vintage effect.
- Perfect for hotels, restaurants, heritage lighting, bars and decorative applications.
- The ideal LED solution to replace incandescent vintage ST64 lamp.
- Low glare - suitable for low height installation.
- 2000K colour temperature, to create a cosy ambience.
- Golden tinted glass envelope.
- 15,000 hours average rated life. Last 7.5 times longer than incandescent vintage lamps.
- Unique filament construction design - 'Flow' shape.
- Omni-directional light distribution - 300°.
- Low-lumen output to create low-lit effect - 250lm.
- More than 100,000X switching cycles.
- 3 years warranty.
- Environment friendly - no mercury and lower CO2 emissions.



PRODUCT OVERVIEW

| | |
|----------------------------|---------------------------------------|
| IPC Code | 0027980 |
| Product name | TOLEDO™ VINTAGE ST64 250LM 820 E27 SL |
| Technology | LED |
| Watt (Rated) (W) | 5 |
| Cap/Base | E27 |
| Fixture rating | Open |
| General application | Hospitality, Residential & Consumer, |
| Certifications | EUTIE103 |
| ETIM Class | EC001959 |
| Luminous flux (lm) | 250 |
| Colour temperature (K) | 2000 |
| Light colour | Candlelight |
| CRI (Ra) | 80 |
| Wattage (W) | 5 |
| Product Voltage (V) | 230 |
| Average life (Nominal) (h) | 15000 |
| Product EAN number | 5410288279800 |

DATA TABLE

General data

| | |
|----------------------------------|---------------------------------------|
| IPC Code | 0027980 |
| Product name | TOLEDO™ VINTAGE ST64 250LM 820 E27 SL |
| Technology | LED |
| Watt (Rated) (W) | 5 |
| Cap/Base | E27 |
| Fixture rating | Open |
| General application | Hospitality, Residential & Consumer, |
| Operating temperature rated (°C) | 25 |
| Certifications | EUTIE103 |
| ETIM Class | EC001959 |

Optical data

ToLEDo Vintage ST64

TOLEDO™ VINTAGE ST64 250LM 820 E27 SL

0027980

| | |
|----------------------------|-------------|
| Luminous flux (lm) | 250 |
| Luminous flux (Rated) (lm) | 250 |
| Colour temperature (K) | 2000 |
| Light colour | Candlelight |
| Colour Code | 820 |
| CRI (Ra) | 80 |
| Beam angle (Rated) (°) | 360 |

Electrical data

| | |
|---|-------|
| Wattage (W) | 5 |
| Starting time (max) (s) | 0.5 |
| Warm-up time to 60% of full light (max) (s) | 1 |
| Product Voltage (V) | 230 |
| Lamp power factor | 0.5 |
| No. Of switching cycles before premature failures | 50000 |
| Lamp Energy Label (class) | A |
| kWh per 1000 hours burning time | 5 |
| Nominal Frequency (Hz) | 50Hz |

Lifetime data

| | |
|----------------------------|-------|
| Average life (Nominal) (h) | 15000 |
| Average life (Rated) (h) | 15000 |

Physical data

| | |
|-------------------------------|-------|
| Nominal Product Length (mm) | 140 |
| Nominal Product Diameter (mm) | 64 |
| Weight (kg) | 0.106 |

Packaging

| | |
|---------------------------------------|----------------|
| Single packaging type | Carton |
| Product EAN number | 5410288279800 |
| Packaging single length / height (cm) | 15.2 |
| Packaging single width (cm) | 7.0 |
| Packaging single depth (cm) | 7.0 |
| DUN14 (inner) | 25410288279804 |
| Units per inner package | 6 |
| Packaging inner length / height (cm) | 21.8 |
| Packaging inner width (cm) | 14.7 |
| Packaging inner depth (cm) | 16.2 |
| DUN14 (outer) | 15410288279807 |
| Units per outer package | 60 |
| Packaging outer length / height (cm) | 76.5 |
| Packaging outer width (cm) | 23.3 |
| Packaging outer depth (cm) | 35.0 |

Safety data

| | |
|--------------------------------|----------------|
| Breakage cleaning instructions | Not applicable |
|--------------------------------|----------------|

ToLEDo Vintage ST64



TOLEDO™ VINTAGE ST64 250LM 820 E27 SL

0027980

| | |
|-------------------------------------|--|
| Special purpose lamp | No |
| Dry applications use only | Yes |
| Suitable for household illumination | Yes |
| Safety message | Not Suitable for totally enclosed fixtures |

PHOTOMETRY

TECHNICAL DRAWINGS





ToLEDo Vintage ST64

TOLEDO™ VINTAGE ST64 250LM 820 E27 SL

0027980
