

Colossal LED - 450mm

COLOSSAL 450 MM 3000K

4061170



Product features

- Large 450 mm diameter circular architectural luminaire, can be surface mounted or suspended, aluminium housing with polycarbonate opal diffuser, 3924 lm, 31 W, 126 lm/W, 3000K, CRI 80, 50,000 hours, Drive current: 700mA, IP40, IK03, Class 1, 220-240V, Energy class A++



PRODUCT OVERVIEW

IPC Code	4061170
Product name	COLOSSAL 450 MM 3000K
Technology	LED
General application	Hospitality, Office
Certifications	EUNEW009
ETIM Class	EC002892
E-number FI	4276820
Fixture luminous flux (lm)	3924
Luminaire efficacy (lm/W)	127
Colour temperature (K)	3000
Light colour	Warm White
CRI (Ra)	80
Photobiological Risk Group	RG0
Total power consumption (W)	31
Electrical protection	Class I
IP rating	IP40
IK rating	IK03
Product EAN number	5026524611701
Lamps	Yes
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	4061170
Product name	COLOSSAL 450 MM 3000K
Technology	LED
General application	Hospitality, Office
Certifications	EUNEW009
ETIM Class	EC002892
E-number FI	4276820

Optical data

Fixture luminous flux (lm)	3924
Luminaire efficacy (lm/W)	127
Colour temperature (K)	3000

Colossal LED - 450mm

COLOSSAL 450 MM 3000K

4061170

Light colour	Warm White
CRI (Ra)	80
Photobiological Risk Group	RG0

Electrical data

Total power consumption (W)	31
Mains voltage (V)	220-240V~
Electrical protection	Class I
Drive current (mA)	700
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	60000
Lumen maintenance - L80 B20	50000



Physical data

IP rating	IP40
IK rating	IK03
Nominal Product Width (mm)	450
Nominal Product Height (mm)	70
Weight (kg)	4.1

Packaging



Single packaging type	Carton
Product EAN number	5026524611701
Packaging single length / height (cm)	46.0
Packaging single width (cm)	46.0
Packaging single depth (cm)	14.0
DUN14 (outer)	15026524611708
Units per outer package	1
Packaging outer length / height (cm)	46.0
Packaging outer width (cm)	46.0
Packaging outer depth (cm)	14.0

PHOTOMETRY



Colossal LED - 450mm *COLOSSAL 450 MM 3000K* 4061170

TECHNICAL DRAWINGS



Colossal LED - 450mm *COLOSSAL 450 MM 3000K* 4061170

