


Colossal LED - 450mm

COLOSSAL 450 MM 4000K DALI
4061175



Product features

- Large 450 mm diameter circular architectural luminaire, can be surface mounted or suspended, aluminium housing with polycarbonate opal diffuser, 3745 lm, 31 W, 120 lm/W, 4000K, CRI 80, 50,000 hours, Drive current: 700mA, DALI dimmable, IP40, IK03, Class 1, 220-240V, Energy class A++



PRODUCT OVERVIEW

IPC Code	4061175
Product name	COLOSSAL 450 MM 4000K DALI
Technology	LED
General application	Hospitality, Office
Certifications	EUNEW009
ETIM Class	EC002892
E-number FI	4276882
Fixture luminous flux (lm)	3745
Luminaire efficacy (lm/W)	121
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	80
Photobiological Risk Group	RG0
Total power consumption (W)	31
Electrical protection	Class I
IP rating	IP40
IK rating	IK03
Product EAN number	5026524611756
Lamps	Yes
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	4061175
Product name	COLOSSAL 450 MM 4000K DALI
Technology	LED
General application	Hospitality, Office
Certifications	EUNEW009
ETIM Class	EC002892
E-number FI	4276882

Optical data

Fixture luminous flux (lm)	3745
Luminaire efficacy (lm/W)	121
Colour temperature (K)	4000

Colossal LED - 450mm

COLOSSAL 450 MM 4000K DALI

4061175

Light colour	Neutral White
CRI (Ra)	80
Photobiological Risk Group	RG0

Electrical data

Total power consumption (W)	31
Mains voltage (V)	220-240V~
Electrical protection	Class I
Drive current (mA)	700
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	60000
Lumen maintenance - L80 B20	50000



Physical data

IP rating	IP40
IK rating	IK03
Nominal Product Width (mm)	450
Nominal Product Height (mm)	70
Weight (kg)	4.1

Packaging


Single packaging type	Carton
Product EAN number	5026524611756
Packaging single length / height (cm)	46.0
Packaging single width (cm)	46.0
Packaging single depth (cm)	14.0
DUN14 (outer)	05026524611756
Units per outer package	1
Packaging outer length / height (cm)	46.0
Packaging outer width (cm)	46.0
Packaging outer depth (cm)	14.0

PHOTOMETRY



Colossal LED - 450mm COLOSSAL 450 MM 4000K DALI 4061175

TECHNICAL DRAWINGS



Concord 4061175


 This luminaire contains built in LED lamps

 } **LED**

The lamps cannot be changed in the luminaire

874/2012 

Colossal LED - 450mm COLOSSAL 450 MM 4000K DALI 4061175



This luminaire contains built in LED lamps

The lamps cannot be changed in the luminaire

Concord 4061175

874/2012

A++
A+
A
~~B~~
~~C~~
~~D~~
~~E~~

LED

EU Flag

The energy label features a vertical scale of seven arrow-shaped boxes representing energy efficiency classes: A++ (dark green), A+ (medium green), A (light green), B (yellow), C (orange), D (red), and E (dark red). A large red 'X' is drawn over the B, C, D, and E boxes. A blue bracket on the right side of the scale groups the A++, A+, and A boxes, with the letters 'L', 'E', and 'D' stacked vertically next to it. The European Union flag is located in the top right corner of the label.