

## Rubico LED 600

RUBICO LED 600x600 HE 4K EM3

0097463



### Product features

- RUBICO LED 600x600 HE 4K EM3 is a direct / indirect low glare luminaire for office and education applications. Ceiling recessed 600x600mm. Micro Prismatic optics. White RAL 9016. Constant current driver. 3 hours emergency operation with integral batteries. 4000K Neutral White LED, Typical CRI=85, chromaticity tolerance of 3-step MacAdam ellipse, lumen package of 3,500lm, total power consumption 35W, efficacy of 100lm/W . Lumen maintenance of L80B10 at 60,000 hours, UGR<19. IK07, IP20, Electrical Protection Class I. PC diffuser, Glow Wire test 850°C



## PRODUCT OVERVIEW

IPC Code	0097463
Product name	RUBICO LED 600x600 HE 4K EM3
Technology	LED
Mount	Recessed
General application	Education, Hospitality, Office, Retail
Certifications	EUNEW001
Fixture luminous flux (lm)	3500
Colour temperature (K)	4000
Light colour	Neutral White
Photobiological Risk Group	0
Total power consumption (W)	35
Electrical protection	Class I
IP rating	IP20
IK rating	IK07
Product EAN number	5410288974637
Lamps	No
Included lamp	INTEGRATED LED

## DATA TABLE

### General data

IPC Code	0097463
Product name	RUBICO LED 600x600 HE 4K EM3
Technology	LED
Mount	Recessed
General application	Education, Hospitality, Office, Retail
Certifications	EUNEW001

### Optical data

Fixture luminous flux (lm)	3500
Colour temperature (K)	4000
Light colour	Neutral White
Distribution type	Direct / Indirect

## Rubico LED 600

*RUBICO LED 600x600 HE 4K EM3*

0097463

Photobiological Risk Group	0
Emergency duration (h)	3.0

### Electrical data

Total power consumption (W)	35
Mains voltage (V)	220-240V~
Electrical protection	Class I
Drive current (mA)	600
Lamp Energy Label (class)	A+
Nominal Frequency (Hz)	50/60Hz

### Physical data

IP rating	IP20
IK rating	IK07
Diffuser finish	Micro Prismatic optic (MPO) with Satin Side diffuser
Diffuser material	Polycarbonate
Weight (kg)	5.0

### Packaging

Single packaging type	Carton
Product EAN number	5410288974637
Packaging single length / height (cm)	65.0
Packaging single width (cm)	62.0
Packaging single depth (cm)	11.0
DUN14 (outer)	05410288974637
Units per outer package	1
Packaging outer length / height (cm)	65.0
Packaging outer width (cm)	62.0
Packaging outer depth (cm)	11.0

## Rubico LED 600

RUBICO LED 600x600 HE 4K EM3

0097463

