ToLEDo GLS

ToLEDo GLS V5 FR 470lm 865 E27 SL

0026628



Product features

- •Compact and elegant design ƒ•500lm - suitable for replacing 42W incandescent GLS lamp. ƒƒ•85% energy saving compared to incandescent lamp. •ƒƒInstant light at the flick of a switch ƒƒ•Uniform light distribution ƒƒ•Colour temperatures - 6500K ƒƒ•Good colour rendering (CRI 80) ƒƒ•Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas ƒƒ•Lower maintenance costs • A+ energy rating - 83 lm/W

PRODUCT OVERVIEW

IPC Code	0026628
Product name	ToLEDo GLS V5 FR 470lm 865 E27 SL
Technology	LED
Watt (Rated) (W)	5.5
Cap/Base	E27
Fixture rating	Open
General application	Hospitality,Residential & Consumer
Certifications	EUTIE103
ETIM Class	EC001959
E-number FI	4740653
Luminous flux (lm)	470
Colour temperature (K)	6500
Light colour	Daylight
CRI (Ra)	80
Wattage (W)	5.5
Product Voltage (V)	230
Average life (Nominal) (h)	15000
Product EAN number	5410288266282

DATA TABLE

General data

IPC Code	0026628
Product name	ToLEDo GLS V5 FR 470lm 865 E27 SL
Technology	LED
Watt (Rated) (W)	5.5
Cap/Base	E27
Fixture rating	Open
General application	Hospitality,Residential & Consumer
Operating temperature rated (°C)	25
Certifications	EUTIE103
ETIM Class	EC001959
E-number FI	4740653

© Feilo Sylvania | Date Printed: 24 Dec 2018

ToLEDo GLS

ToLEDo GLS V5 FR 470lm 865 E27 SL

0026628

Optical data

Luminous flux (lm)	470
Luminous flux (Rated) (lm)	470
Colour temperature (K)	6500
Light colour	Daylight
CRI (Ra)	80
Beam angle (Rated) (°)	180

Electrical data

Wattage (W)	5.5
Starting time (max) (s)	0.5
Warm-up time to 60% of full light (max) (s)	2
Product Voltage (V)	230
Lamp power factor	0.5
No. Of switching cycles before premature failures	50000
Lamp Energy Label (class)	A+
kWh per 1000 hours burning time	6
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

Physical data

Nominal Product Length (mm)	112
Nominal Product Diameter (mm)	60
Weight (kg)	0.054

Packaging

Single packaging type	Carton
Product EAN number	5410288266282
Packaging single length / height (cm)	11.3
Packaging single width (cm)	6.4
Packaging single depth (cm)	6.4
DUN14 (inner)	25410288266286
Units per inner package	6
Packaging inner length / height (cm)	20.4
Packaging inner width (cm)	13.4
Packaging inner depth (cm)	13.7
DUN14 (outer)	15410288266289
Units per outer package	60
Packaging outer length / height (cm)	72.4
Packaging outer width (cm)	22.2
Packaging outer depth (cm)	29.7

Safety data

Breakage cleaning instructions	Not applicable

© Feilo Sylvania | Date Printed: 24 Dec 2018


ToLEDo GLS


ToLEDo GLS V5 FR 470lm 865 E27 SL

0026628

Special purpose lamp	No
Intended purpose	No
Dry applications use only	Yes
Suitable for household illumination	Yes
Safety message	Not Suitable for totally enclosed fixtures

TECHNICAL DRAWINGS





© Feilo Sylvania | Date Printed: 24 Dec 2018