

ToLEDo GLS

ToLEDo GLS V4 2452LM 827 E27 SL

0027901



Product features

- Compact and elegant design *f*•2452lm - suitable for replacing 150W incandescent GLS lamp. *ff*•86% energy saving compared to incandescent lamp. •*ff*Instant light at the flick of a switch *ff*•Uniform light distribution *ff*•Colour temperatures - 2700K *ff*•Good colour rendering (CRI 80) *ff*•Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas *ff*•Lower maintenance costs •A++ energy rating - 123 lm/W



PRODUCT OVERVIEW

IPC Code	0027901
Product name	ToLEDo GLS V4 2452LM 827 E27 SL
Technology	LED
Watt (Rated) (W)	20
Fixture rating	Open
General application	Hospitality,Education,Residential & Consumer,
Certifications	EUTIE103
ETIM Class	EC001959
E-number FI	4740571
E-number SE	8294414
Luminous flux (lm)	2452
Colour temperature (K)	2700
Light colour	Homelight
CRI (Ra)	80
Wattage (W)	20
Product Voltage (V)	230
Average life (Nominal) (h)	15000
Product EAN number	5410288279015

DATA TABLE

General data

IPC Code	0027901
Product name	ToLEDo GLS V4 2452LM 827 E27 SL
Technology	LED
Watt (Rated) (W)	20
Fixture rating	Open
General application	Hospitality,Education,Residential & Consumer,
Operating temperature rated (°C)	25
Certifications	EUTIE103
ETIM Class	EC001959
E-number FI	4740571
E-number SE	8294414

ToLEDo GLS

ToLEDo GLS V4 2452LM 827 E27 SL

0027901

Optical data

Luminous flux (lm)	2452
Luminous flux (Rated) (lm)	2452
Colour temperature (K)	2700
Light colour	Homelight
Colour Code	827
CRI (Ra)	80
Beam angle (Rated) (°)	240

Electrical data

Wattage (W)	20
Starting time (max) (s)	0.5
Warm-up time to 60% of full light (max) (s)	1
Mains voltage (V)	220-240V~
Product Voltage (V)	230
Lamp power factor	0.5
No. Of switching cycles before premature failures	50000
Lamp Energy Label (class)	A++
kWh per 1000 hours burning time	20
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

Physical data

Nominal Product Length (mm)	143
Nominal Product Diameter (mm)	67
Weight (kg)	0.16

Packaging

Single packaging type	Carton
Product EAN number	5410288279015
Packaging single length / height (cm)	15.7
Packaging single width (cm)	6.9
Packaging single depth (cm)	6.9
DUN14 (inner)	25410288279019
Units per inner package	6
Packaging inner length / height (cm)	21.9
Packaging inner width (cm)	14.6
Packaging inner depth (cm)	16.6
DUN14 (outer)	15410288279012
Units per outer package	60
Packaging outer length / height (cm)	76.7
Packaging outer width (cm)	24.4
Packaging outer depth (cm)	36.2

ToLEDo GLS

ToLEDo GLS V4 2452LM 827 E27 SL

0027901

Safety data

Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Intended purpose	No
Dry applications use only	Yes
Suitable for household illumination	Yes
Safety message	Not Suitable for totally enclosed fixtures

