

ToLEDo GLS

ToLEDo GLS V4 1921LM 827 E27 SL

0027904



Product features

- Compact and elegant design *f*•1921lm - suitable for replacing 121W incandescent GLS lamp. *ff*•85% energy saving compared to incandescent lamp. *•ff*Instant light at the flick of a switch *ff*•Uniform light distribution *ff*•Colour temperatures - 2700K *ff*•Good colour rendering (CRI 80) *ff*•Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas *ff*•Lower maintenance costs •A+ energy rating - 107 lm/W



PRODUCT OVERVIEW

IPC Code	0027904
Product name	ToLEDo GLS V4 1921LM 827 E27 SL
Technology	LED
Watt (Rated) (W)	17.5
Cap/Base	E27
Fixture rating	Open
General application	Hospitality,Education,Residential & Consumer,
Certifications	EUTIE103
ETIM Class	EC001959
E-number FI	4740569
E-number SE	8294413
Luminous flux (lm)	1921
Colour temperature (K)	2700
Light colour	Homelight
CRI (Ra)	80
Wattage (W)	17.5
Product Voltage (V)	230
Average life (Nominal) (h)	15000
Product EAN number	5410288279046

DATA TABLE

General data

IPC Code	0027904
Product name	ToLEDo GLS V4 1921LM 827 E27 SL
Technology	LED
Watt (Rated) (W)	17.5
Cap/Base	E27
Fixture rating	Open
General application	Hospitality,Education,Residential & Consumer,
Operating temperature rated (°C)	25
Certifications	EUTIE103
ETIM Class	EC001959
E-number FI	4740569

ToLEDo GLS

ToLEDo GLS V4 1921LM 827 E27 SL

0027904

E-number SE 8294413

Optical data

Luminous flux (lm)	1921
Luminous flux (Rated) (lm)	1921
Colour temperature (K)	2700
Light colour	Homelight
Colour Code	827
CRI (Ra)	80
Beam angle (Rated) (°)	230

Electrical data

Wattage (W)	17.5
Starting time (max) (s)	0.5
Warm-up time to 60% of full light (max) (s)	1
Mains voltage (V)	220-240V~
Product Voltage (V)	230
Lamp power factor	0.5
No. Of switching cycles before premature failures	50000
Lamp Energy Label (class)	A+
kWh per 1000 hours burning time	18
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

Physical data

Nominal Product Length (mm)	143
Nominal Product Diameter (mm)	67
Weight (kg)	0.092

Packaging

Single packaging type	Carton
Product EAN number	5410288279046
Packaging single length / height (cm)	15.7
Packaging single width (cm)	6.9
Packaging single depth (cm)	6.9
DUN14 (inner)	25410288279040
Units per inner package	6
Packaging inner length / height (cm)	21.9
Packaging inner width (cm)	14.6
Packaging inner depth (cm)	16.6
DUN14 (outer)	15410288279043
Units per outer package	60
Packaging outer length / height (cm)	76.7
Packaging outer width (cm)	24.4

ToLEDo GLS
ToLEDo GLS V4 1921LM 827 E27 SL
0027904

Packaging outer depth (cm)	36.2
Safety data	
Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Intended purpose	No
Dry applications use only	Yes
Suitable for household illumination	Yes
Safety message	Not Suitable for totally enclosed fixtures

