

### ToLEDo GLS ZN LED GLS 11.5W 1060LM 827 E27 BL 7203283



#### **Product features**

•Compact and elegant design f•1060lm - suitable for replacing 75W incandescent GLS lamp. ff•85% energy saving compared to incandescent lamp. •ffInstant light at the flick of a switch ff•Uniform light distribution ff•Colour temperatures - 2700K ff•Good colour rendering (CRI 80) ff•Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas ff•Lower maintenance costs • A+ energy rating - 96 lm/W









#### PRODUCT OVERVIEW

IPC Code	7203283
Product name	ZN LED GLS 11.5W 1060LM 827 E27 BL
Technology	LED
Watt (Rated) (W)	11
Lamp shape	GLS
Cap/Base	E27
Lamp finish	Frosted
General application	Hospitality, Residential & Consumer
Certifications	EUTIE103
Luminous flux (Im)	1060
Colour temperature (K)	2700
Light colour	Homelight
CRI (Ra)	80
Colour Consistency (SDCM)	6
Wattage (W)	11
Average life (Nominal) (h)	15000
Product EAN number	5414326032839

#### **DATA TABLE**

General data	
IPC Code	7203283
Product name	ZN LED GLS 11.5W 1060LM 827 E27 BL
Technology	LED
Watt (Rated) (W)	11
Lamp shape	GLS
Cap/Base	E27
Lamp finish	Frosted
General application	Hospitality,Residential & Consumer
Certifications	EUTIE103
Optical data	
Luminous flux (Im)	1060
Luminous flux (Rated) (Im)	1060
Colour temperature (K)	2700



## ToLEDo GLS ZN LED GLS 11.5W 1060LM 827 E27 BL 7203283

Dalet a dama	11 - P. D.
Light colour Colour Code	Homelight 827
001001	80
CRI (Ra)	6
Colour Consistency (SDCM) Adjustable chromaticity	N
Lumen maintenance at end of nominal	70
life (%)	70
(10)	
Electrical data	
Wattage (W)	11
Equivalent watt (W)	75
Starting time (max) (s)	0.05
Warm-up time to 60% of full light (max)	< 1s => 60%
(s)	
Mains voltage (V)	220-240V~
Lamp power factor	0.5
Control gear required	No
No. Of switching cycles before premature failures	50000
Transformer required	No
Drive current (mA)	82
Lamp Energy Label (class)	A+
Energy efficiency level	A+
kWh per 1000 hours burning time	12
L. W. Charles	
Lifetime data	
Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000
Physical data	
Physical data	
Max. Lamp Diameter (mm) - D	60
Max. Lamp Diameter (mm) - D Weight (kg)	60
Max. Lamp Diameter (mm) - D Weight (kg) Packaging	60 0.1
Max. Lamp Diameter (mm) - D Weight (kg) Packaging Single packaging type	60 0.1 Mix blister(20% carton, 80% pl
Max. Lamp Diameter (mm) - D Weight (kg)  Packaging  Single packaging type  Product EAN number	60 0.1 Mix blister(20% carton, 80% pl 5414326032839
Max. Lamp Diameter (mm) - D Weight (kg)  Packaging  Single packaging type Product EAN number Packaging single length / height (cm)	60 0.1 Mix blister(20% carton, 80% pl 5414326032839 15.4
Max. Lamp Diameter (mm) - D Weight (kg)  Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single width (cm)	60 0.1 Mix blister(20% carton, 80% pl 5414326032839 15.4 19.9
Max. Lamp Diameter (mm) - D Weight (kg)  Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single width (cm) Packaging single depth (cm)	60 0.1 Mix blister(20% carton, 80% pl 5414326032839 15.4 19.9 0.6
Max. Lamp Diameter (mm) - D Weight (kg)  Packaging  Single packaging type Product EAN number Packaging single length / height (cm) Packaging single width (cm) Packaging single depth (cm) DUN14 (inner)	60 0.1 Mix blister(20% carton, 80% pl 5414326032839 15.4 19.9 0.6 25414326032833
Max. Lamp Diameter (mm) - D Weight (kg)  Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single width (cm) Packaging single depth (cm) DUN14 (inner) Units per inner package	60 0.1 Mix blister(20% carton, 80% pl 5414326032839 15.4 19.9 0.6 25414326032833 6
Max. Lamp Diameter (mm) - D Weight (kg)  Packaging  Single packaging type Product EAN number Packaging single length / height (cm) Packaging single width (cm) Packaging single depth (cm) DUN14 (inner) Units per inner package Packaging inner length / height (cm)	60 0.1 Mix blister(20% carton, 80% pl 5414326032839 15.4 19.9 0.6 25414326032833 6 31.0
Max. Lamp Diameter (mm) - D Weight (kg)  Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single width (cm) Packaging single depth (cm) DUN14 (inner) Units per inner package Packaging inner length / height (cm) Packaging inner width (cm)	60 0.1 Mix blister(20% carton, 80% pl 5414326032839 15.4 19.9 0.6 25414326032833 6 31.0
Max. Lamp Diameter (mm) - D Weight (kg)  Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single width (cm) Packaging single depth (cm) DUN14 (inner) Units per inner package Packaging inner length / height (cm) Packaging inner width (cm) Packaging inner depth (cm)	60 0.1 Mix blister(20% carton, 80% pl 5414326032839 15.4 19.9 0.6 25414326032833 6 31.0 15.6 21.4
Max. Lamp Diameter (mm) - D Weight (kg)  Packaging  Single packaging type Product EAN number Packaging single length / height (cm) Packaging single width (cm) Packaging single depth (cm) DUN14 (inner) Units per inner package Packaging inner length / height (cm) Packaging inner width (cm) Packaging inner depth (cm) DUN14 (outer)	60 0.1 Mix blister(20% carton, 80% pl 5414326032839 15.4 19.9 0.6 25414326032833 6 31.0 15.6 21.4 15414326032836
Max. Lamp Diameter (mm) - D Weight (kg)  Packaging  Single packaging type Product EAN number Packaging single length / height (cm) Packaging single width (cm) Packaging single depth (cm) DUN14 (inner) Units per inner package Packaging inner length / height (cm) Packaging inner width (cm) Packaging inner depth (cm) DUN14 (outer) Units per outer package	60 0.1 Mix blister(20% carton, 80% pl 5414326032839 15.4 19.9 0.6 25414326032833 6 31.0 15.6 21.4 15414326032836 60
Max. Lamp Diameter (mm) - D Weight (kg)  Packaging  Single packaging type Product EAN number Packaging single length / height (cm) Packaging single width (cm) Packaging single depth (cm) DUN14 (inner) Units per inner package Packaging inner length / height (cm) Packaging inner width (cm) Packaging inner depth (cm) DUN14 (outer)	60 0.1 Mix blister(20% carton, 80% pl 5414326032839 15.4 19.9 0.6 25414326032833 6 31.0 15.6 21.4 15414326032836
Max. Lamp Diameter (mm) - D Weight (kg)  Packaging  Single packaging type Product EAN number Packaging single length / height (cm) Packaging single depth (cm) DUN14 (inner) Units per inner package Packaging inner length / height (cm) Packaging inner depth (cm) DUN14 (outer) Units per outer package Packaging outer length / height (cm)	60 0.1 Mix blister(20% carton, 80% pl 5414326032839 15.4 19.9 0.6 25414326032833 6 31.0 15.6 21.4 15414326032836 60 82.5



# ToLEDo GLS ZN LED GLS 11.5W 1060LM 827 E27 BL 7203283

### Safety data

Breakage cleaning instructions	Not applicable
Recommendation for disposal at end of life	Not applicable
Special purpose lamp	No
Intended purpose	No
Dry applications use only	Yes
Suitable for household illumination	Yes
Suitable for accent lighting	Yes
Safety message	Not Suitable for totally enclosed fixtures

