ToLEDo Retro A60 Dimmable

ToLEDo RT A60 V2 CL DIM 640LM 827 E27 SL

0027549



Product features

- • Perfect for decorative and general lighting applications and creates a warm ambiance similar to traditional lamps • Same look, size and functionality as incandescent lamps. • The combination of innovative filament chip technology and dimming functionality make it an ideal solution for both hospitality application and for general lighting. • Suitable for replacement of 50W incandescent lamp. • A++ energy rating - 116 lm/W • Dimming functionality helps to vary lighting scene as lamps can be dimmed from 100% to 10% and reduces energy consumption as well. • Sparkling light output. • Omni-directional light distribution. • Environment friendly - no mercury and lower CO2 emissions. • Dimmable on approved dimmers. • Color temperature - 2700K Homelight

PRODUCT OVERVIEW

IPC Code	0027549
Product name	ToLEDo RT A60 V2 CL DIM 640LM 827 E27 SL
Technology	LED
Watt (Rated) (W)	5.5
Lamp shape	GLS
Fixture rating	Open
General application	Hospitality,Residential & Consumer
Certifications	EUTIE103
ETIM Class	EC001959
E-number FI	4740639
E-number SE	8292838
Luminous flux (lm)	640
Colour temperature (K)	2700
Light colour	Homelight
CRI (Ra)	80
Wattage (W)	5.5
Product Voltage (V)	230
Average life (Nominal) (h)	15000
Product EAN number	5410288275499

DATA TABLE

General data

IPC Code	0027549
Product name	ToLEDo RT A60 V2 CL DIM 640LM 827 E27 SL
Technology	LED
Watt (Rated) (W)	5.5
Lamp shape	GLS
Fixture rating	Open
General application	Hospitality,Residential & Consumer
Operating temperature rated (°C)	25
Certifications	EUTIE103
ETIM Class	EC001959
E-number FI	4740639

© Feilo Sylvania | Date Printed: 26 Dec 2018

ToLEDo Retro A60 Dimmable

ToLEDo RT A60 V2 CL DIM 640LM 827 E27 SL

0027549

E-number SE	8292838

Optical data

Luminous flux (lm)	640
Luminous flux (Rated) (lm)	640
Colour temperature (K)	2700
Light colour	Homelight
Colour Code	827
CRI (Ra)	80
Adjustable chromaticity	N
Beam angle (Rated) (°)	320

Electrical data

Wattage (W)	5.5
Starting time (max) (s)	0.5
Warm-up time to 60% of full light (max) (s)	1
Product Voltage (V)	230
Lamp power factor	0.8
No. Of switching cycles before premature failures	50000
Transformer required	Yes
Lamp Energy Label (class)	A++
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

Physical data

Nominal Product Length (mm)	105
Nominal Product Diameter (mm)	60
Weight (kg)	0.032

Packaging

Single packaging type	Carton
Product EAN number	5410288275499
Packaging single length / height (cm)	11.5
Packaging single width (cm)	6.4
Packaging single depth (cm)	6.4
DUN14 (inner)	25410288275493
Units per inner package	6
Packaging inner length / height (cm)	20.5
Packaging inner width (cm)	14.0
Packaging inner depth (cm)	13.5
DUN14 (outer)	15410288275496
Units per outer package	60
Packaging outer length / height (cm)	72.5
Packaging outer width (cm)	43.0

© Feilo Sylvania | Date Printed: 26 Dec 2018

ToLEDo Retro A60 Dimmable

ToLEDo RT A60 V2 CL DIM 640LM 827 E27 SL


0027549


Packaging outer depth (cm)	16.5


Safety data


Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	Yes
Suitable for household illumination	Yes
Safety message	Not Suitable for totally enclosed fixtures

PHOTOMETRY










TECHNICAL DRAWINGS




© Feilo Sylvania | Date Printed: 26 Dec 2018

ToLEDo Retro A60 Dimmable

ToLEDo RT A60 V2 CL DIM 640LM 827 E27 SL

0027549



© Feilo Sylvania | Date Printed: 26 Dec 2018