

Product features













PRODUCT OVERVIEW

IPC Code	0026845
Product name	ToLEDo Pygmy 160LM 827 E14 BL
Technology	LED
Watt (Rated) (W)	1.8
Lamp shape	Pygmy
Cap/Base	E14
Lamp finish	Frosted
Fixture rating	Open
General application	Hospitality,Residential & Consumer
Certifications	00
ETIM Class	EC001959
Luminous flux (Im)	160
Colour temperature (K)	3000
Light colour	Warm White
CRI (Ra)	80
Colour Consistency (SDCM)	6
Wattage (W)	1.8
Average life (Nominal) (h)	25000
Product EAN number	5410288268453
Chromaticity coordinate Y	0.403

DATA TABLE

General data	
IPC Code	0026845
Product name	ToLEDo Pygmy 160LM 827 E14 BL
Technology	LED
Watt (Rated) (W)	1.8
Lamp shape	Pygmy
Cap/Base	E14



Lamp finish	Frosted
Fixture rating	Open
General application	Hospitality,Residential & Consumer
Certifications	00
ETIM Class	EC001959
Optical data	
•	100
Luminous flux (Im)	160
Luminous flux (Rated) (lm)	160
Colour temperature (K)	3000
Light colour	Warm White
Colour Code	830
CRI (Ra)	80
Colour Consistency (SDCM)	6
Adjustable chromaticity	N
Lumen maintenance at end of nominal life (%)	70
Electrical data	
Wattage (W)	1.8
Equivalent watt (W)	17
Starting time (max) (s)	0.05
Warm-up time to 60% of full light (max) (s)	< 1s => 60%
Mains voltage (V)	220-240V~
Lamp power factor	0.4
Control gear required	No
No. Of switching cycles before premature failures	>50000
Transformer required	No
Drive current (mA)	20
Lamp Energy Label (class)	A++
Energy efficiency level	A+
kWh per 1000 hours burning time	3
Lifetime data	
Average life (Nominal) (h)	25000
Average life (Rated) (h)	25000
Physical data	
	27
Max. Lamp Diameter (mm) - D	27
Weight (kg)	0.017
Packaging	
Single packaging type	Mix(80% carton, 20% plastic)
Product EAN number	5410288268453
Packaging single length / height (cm)	13.3
Packaging single width (cm)	8.3
Packaging single with (cm)	3.5
DUN14 (inner)	25410288268457
	20T 10200200T07



Halte a sa lan san a slove	^
Units per inner package	6
Packaging inner length / height (cm)	16.0
Packaging inner width (cm)	8.1
Packaging inner depth (cm)	14.2
DUN14 (outer)	15410288268450
Units per outer package	60
Packaging outer length / height (cm)	42.9
Packaging outer width (cm)	35.6
Packaging outer depth (cm)	16.9
Safety data	

•	
Breakage cleaning instructions	Not applicable
Recommendation for disposal at end of life	Not applicable
Special purpose lamp	No
Intended purpose	General lighting
Dry applications use only	No
Suitable for household illumination	Yes
Suitable for accent lighting	Yes



