

ToLEDo Striplight

ToLEDo ST V2 500mm 5W 420lm S14s

0026852



Product features

-



PRODUCT OVERVIEW

IPC Code	0026852
Product name	ToLEDo ST V2 500mm 5W 420lm S14s
Technology	LED
Watt (Rated) (W)	5
Lamp shape	Striplight
Cap/Base	S14s
Lamp finish	frosted
General application	Hospitality, Residential & Consumer
Certifications	EUTIE103
ETIM Class	EC001959
E-number FI	4740486
Fixture luminous flux (lm)	RPLA01 : Royalty LED Lamp Single Colour
Luminous flux (lm)	420
Colour temperature (K)	2700
Light colour	Homelight
CRI (Ra)	80
Colour Consistency (SDCM)	6
Wattage (W)	5
Average life (Nominal) (h)	15000
Product EAN number	5410288268521

DATA TABLE

General data

IPC Code	0026852
Product name	ToLEDo ST V2 500mm 5W 420lm S14s
Technology	LED
Watt (Rated) (W)	5
Lamp shape	Striplight
Cap/Base	S14s
Lamp finish	frosted
General application	Hospitality, Residential & Consumer
Operating temperature range (°C)	500
Certifications	EUTIE103

ToLEDo Striplight

ToLEDo ST V2 500mm 5W 420lm S14s

0026852

ETIM Class	EC001959
E-number FI	4740486

Optical data

Fixture luminous flux (lm)	RPLA01 : Royalty LED Lamp Single Colour
Luminous flux (lm)	420
Luminous flux (Rated) (lm)	420
Colour temperature (K)	2700
Light colour	Homelight
CRI (Ra)	80
Colour Consistency (SDCM)	6
Adjustable chromaticity	N
Lumen maintenance at end of nominal life (%)	70

Electrical data

Wattage (W)	5
Equivalent watt (W)	60
Starting time (max) (s)	0.05
Warm-up time to 60% of full light (max) (s)	< 1s => 60%
Current (A)	0.042
Mains voltage (V)	220-240V~
Lamp power factor	0.5
Mains frequency (Hz)	50
Control gear required	No
No. Of switching cycles before premature failures	50000
Transformer required	No
Lamp Energy Label (class)	A+
Energy efficiency level	A+
kWh per 1000 hours burning time	5

Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

Physical data

Nominal Product Diameter (mm)	500
Max. Lamp Diameter (mm) - D	26
Weight (kg)	0.093

Packaging

Single packaging type	Carton
Product EAN number	5410288268521
Packaging single length / height (cm)	50.3
Packaging single width (cm)	2.8
Packaging single depth (cm)	4.6
DUN14 (inner)	25410288268525
Units per inner package	6

ToLEDo Striplight

ToLEDo ST V2 500mm 5W 420lm S14s

0026852

Packaging inner length / height (cm)	51.9
Packaging inner width (cm)	10.2
Packaging inner depth (cm)	10.2
DUN14 (outer)	15410288268528
Units per outer package	60
Packaging outer length / height (cm)	54.0
Packaging outer width (cm)	54.3
Packaging outer depth (cm)	22.9

Safety data

Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Intended purpose	General lighting
Suitable for household illumination	Yes

PHOTOMETRY

TECHNICAL DRAWINGS



ToLEDo Striplight

ToLEDo ST V2 500mm 5W 420lm S14s
0026852

