



- Colour temperature 10,000K recreating the tropical light spectrum. For fresh and marine aquariums. Excellent combination with DaylighStar. Outstanding results in combination with Daylightstar.



DATA TABLE

General data	
IPC Code	0002752
Product name	FHO24W/Aquastar Retail
Technology	Fluorescent
Lamp shape	Tubular
Type	T5
Cap/Base	G5
Lamp finish	Coated
Fixture rating	Enclosed

Aquastar T5

FHO24W/Aquastar Retail
0002752

General application	Hospitality,Retail,Residential & Consumer
Operating temperature range (°C)	-15°C to +50°C
Certifications	00
ETIM Class	EC000108

Optical data

Luminous flux (lm)	1120
Ambient temperature for maximum luminous flux (°C)	35
Colour temperature (K)	10000
Light colour	Aquastar
Adjustable chromaticity	N

Electrical data

Wattage (W)	24.00
Watt (Rated) - High frequency (W)	23.50
Current (A)	0.300
Product Voltage (V)	75
Control gear required	Yes
Transformer required	No
Dimmable	Yes
Drive current (mA)	300

Lifetime data

Average life (Nominal) (h)	20000
Average life (Rated) (h)	20000

Physical data

Nominal Product Length (mm)	550.0
Nominal Product Diameter (mm)	16
Max. Length base to base (mm) - A	549.0
Length base to pin Min-Max (mm) - B	553.7-556.1
Max. Lamp Length (mm) - C/L	563.2
Max. Lamp Diameter (mm) - D	17.0
Weight (kg)	0.048

Packaging

Single packaging type	Carton
Product EAN number	5410288027524
Packaging single length / height (cm)	67.4
Packaging single width (cm)	3.0
Packaging single depth (cm)	3.0
DUN14 (outer)	15410288027521
Units per outer package	10
Packaging outer length / height (cm)	70.4
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	6.2

Aquastar T5
FHO24W/Aquastar Retail
0002752

Safety data

Lamp mercury content (mg)	2.30
Breakage cleaning instructions	Applicable
Special purpose lamp	Yes
Intended purpose	Fresh / Marine water aquariums
Suitable for household illumination	No
Safety message	Not suitable for household

TECHNICAL DRAWINGS

