

Digital clock

Digital clock

Style 7 Ellipse

Description :

- ▶ Led clock for indoor installation.
- ▶ Hour – minute and revolving second display on ellipse design.
- ▶ Fixed or alternate time with date or week number display.
- ▶ Height of digit 7 cm, optimal viewing distance : 30 metres.
- ▶ Diode colours: red, green, yellow, blue. Seconds display with red diodes on hour markings and green ones on minute markings for a red or green clock and blue diodes on hour markings and yellow ones on minute markings for a blue or yellow clock.
- ▶ Models: independent radio synchronised / 24V minute impulse receiver or IRIG-B/AFNOR coded time receiver, NTP Supervised or wireless DHF.



Technical features:

- ▶ Injected ABS case black (IP30, IK07) with diffusing filter.
- ▶ Adjustable brightness (4 levels).
- ▶ Adjustable antenna on radio synchronised model.
- ▶ Angle of vision 120°.
- ▶ 12 or 24 hour display mode.
- ▶ Automatic summer/winter time changeover and perpetual calendar.
- ▶ Data saving for 7 days.
- ▶ Accuracy of the time quartz base: 0,2 second/day.
- ▶ Silent operation.
- ▶ Programming and time setting through 2 buttons.
- ▶ Digit made of 7 segments whit 4 Led each.
- ▶ NTP Synchronization : unicast, multicast and by DHCP.
- ▶ Power supply :
 - Models AFNOR coded time receiver, wireless DHF, independent / 24V minute impulse receiver : 230V \pm 10%, 50/60Hz.
 - Model NTP Supervised : PoE (Power Over Ethernet).
- ▶ Consumption: 80 mA.
- ▶ PoE consumption: 12 W maximum; Class 0 device.
- ▶ Electric protection : class 2.
- ▶ Operating temperature: from -5 to 50°C.
- ▶ Weight: 2,2 Kg.

Norms:


- ▶ Norm NF EN50081-1: generic emission standard.
- ▶ Norm NF EN50082-1: generic immunity standard.
- ▶ Norm NF EN60950: safety of information technology equipment.

Mounting Accessories:


- ▶ Double sided bracket
- ▶ Single sided bracket
- ▶ Table holder
- ▶ Wall plate support for Style 7 recessed mounting
- ▶ France Inter antenna
- ▶ DCF antenna

936 300
936 301
936 303
936 308B
907 025
907 026

Led colours



Dimensions in mm



Wall bracket

Style 7 Ellipse references :

- ▶ Independent / 24V minute impulse receiver 936 711
- ▶ IRIG-B/AFNOR coded time receiver 936 721
- ▶ Independent radio synchronised FI 162 936 751
- ▶ Independent radio synchronised DCF 936 761
- ▶ Wireless DHF coded time receiver 936 771
- ▶ NTP Supervised 936 7F1

Indicate Led colour by choosing the last number of the reference: red (1), green (2), yellow (3), blue (4).



Ref. 643451 R